




Ejendals is a Swedish company that for generations has specialised in developing, manufacturing and marketing high-quality products that protect hands and feet. In close collaboration with researchers and our customers, we design products that deliver the highest standard of protection, durability and ergonomics. We sell a complete safety concept, which aims to reduce accidents through quality products, education and safety inspections. From our corporate head office in Leksand, we envision a safer day with zero injuries to hands and feet.





ABOUT EJENDALS	4
HAND PROTECTION	15
FOOT PROTECTION	155
ACCESSORIES	229
ALPHANUMERIC INDEX	248
MARKING GLUDE	COVER





Ejendals: from Leksand to Europe

Ejendals was founded in 1949 by Valfrid Ejendal in Leksand, Sweden. The family name derives from nearby Lake Ejen. A clothing company, the product line included work gloves that were manufactured locally, and customers largely consisted of the regional mills and industries.

As demand grew, Ejendals started to look for suppliers who could meet demands in terms of quality and efficiency. This led to some production being carried out in China. Over the years, this concept has been expanded, while research, development and testing facilities remain in Sweden and Finland.

In the 1970s, protective shoes were included in Ejendals' product range. Shortly thereafter, cooperation began with Finnish company Urho Viljanmaa OY, which produces JALAS® safety shoes. When Ejendals acquired the company in 2008, the Ejendals Group was born.

For many years a market leader in the Nordic region, Ejendals has expanded into a number of new markets in Europe, such as Germany, the UK, France, Benelux, Italy, Poland, the Baltic States and Russia. Several markets await, and we have a very positive attitude in regards to our continued expansion.

Ejendals is still family-owned, and is now run by Valfrid's grandson, Marcus Ejendal. The company has an annual turnover of more than EUR 100,000,000.



A reliable partner

Our products make everyday life safer at tens of thousands of workplaces in Europe. Your investments in quality hand and foot protection always pay off. They result in fewer occupational injuries, improved levels of attendance and increased productivity, ultimately leading to lower overall costs.

Thanks to our cooperation with researchers and customers, we constantly receive suggestions for improvements that we can use when developing new products. Our testing facilities give us confidence that the new models are better and safer in every way.

Customer service

Our customers often let us know that we have excellent customer service. You're the most important to us, and we continue to think of ways to remain available and open to suggestions. We value close contact with our customers and are represented in most European countries. This makes it easy to contact us when you need help and advice on questions related to protecting hands and feet.

Fast deliveries

'Call us today if you need gloves tomorrow' was the motto of Ejendals' founder. Fast deliveries are still one of the things that set us apart from our competitors.

Our strategy is to be overstocked. This means that our customers can reduce their own stocks and rely on us to have products for direct delivery. In the vast majority of cases, we can dispatch goods the same day that we receive an order, and with an efficient system of central warehouses, we are able to reach every corner of Europe within a few days.

Our stock management is computerised and orders can be placed by telephone, fax, EDI or e-mail. When you want gloves and shoes, you should get them straight away.





Quality in every seam

Ejendals' underlying concept is to deliver the best quality possible. To this end, we limit production to our own factory in combination with a few independent ones. Roughly fifty per cent of our products are manufactured in our own factory in Finland.

Long-term cooperation

The remaining factories we have chosen to cooperate with are among the best in the world, and our contact with them is without the use of intermediaries. All of our factory collaborations are solid and most go back more than 20 years. For monitoring purposes and quality assurance, we also have our own specialists on-site, including five full-time employees in Asia.

Our product range is renowned for quality as well as breadth. One of the reasons we work with different production facilities is to maintain this wide selection. Variables such as choice of material put different demands on production, and all of our factories are chosen according to their areas of specialty.



Our laboratories

Ejendals' products are all tested thoroughly in order to withstand the stresses they will be exposed to. We have two high-tech laboratories – one in Leksand, Sweden, where we test our gloves, and one in Jokipii, Finland, where we test our shoes.

Our laboratories enable us to maintain the consistent high quality of our products. We can also keep up an even, high working pace when developing new products, since we don't have to wait our turn at external laboratories.

Function and design

Function and design always work together in all of our products, and we consciously started to work with design early on. For safety products, design can actually help improve the primary function. But a carefully considered design can also make the product look a lot better.

Over the years, we have won many prestigious international design awards, including two Red Dot Award. Our customers want to look good at work, whether they're sitting in an office or working out on the factory floor.



reddot design award



reddot design award winner 2012





Every injury is one too many

More than half of all occupational injuries are directly related to injuries to hands, wrists, fingers, feet, ankles and toes. This is a high proportion; in addition, hidden statistics are probably considerable.

A zero vision

An injured employee may have to be signed off sick, and thus lose income. The company suffers a loss of productivity, and incurs costs for the worker who is off sick. Occupational injuries also represent an expense for society as a whole. Our zero vision when it comes to hand and foot injuries benefits individuals, companies and society. By investing in proper hand and foot protection, you are actually helping your profitability.

A long-term perspective

You might save money in the short term by cutting corners with hand and foot protection, but you'll still have to pay the price in the long term. The most effective way of reducing occupational injuries is to invest in good quality protection. This may involve a slightly higher investment initially. But it certainly pays in the long run – for everyone involved.

Ejendals' safety concept

At Ejendals, we don't just sell shoes and gloves. We sell a whole concept, which we refer to as our safety concept. When we work with a customer, we have a set number of targets: we want to reduce the number of accidents that occur, we want to improve levels of attendance, and we want to reduce long-term costs because quality always pays in the long run.

We also recommend that we join the customer on a safety inspection of their place of business. We look at the working environment and what appropriate protection for hands and feet the employees need. This is an exciting process, and often results in new knowledge for us that we can incorporate into our product development later on. Another safety inspection is necessary if working conditions have changed, or if, for example, employees work with new materials and procedures.

Ejendals Academy

We have our own education centre where we teach everything we know about hands and feet, and how best to protect them. Ejendals Academy runs several courses each year, with our customers, partners and retailers as students. The teachers are our own product managers and external experts in personal protection.



ejendals academy

Social responsibility

Social responsibility comes naturally to us. At Ejendals we always consider the long-term effects of our actions. Decisions made today will stay with us for many years. This involves everything from the quality of our products to the way we treat customers and employees.

Always making conscious decisions and taking responsibility for everything we do has resulted in many long and rewarding relationships. We see our long-standing relationships as proof that we act responsibly. To ensure that all our partners do the same, we have drawn up a social code of conduct that we work in accordance with.

We think that the most important part of this is our responsibility to all our employees, including the many skilled employees in various countries who manufacture our products.

OUR CODE OF CONDUCT INVOLVES THE FOLLOWING:

- •No-one who works with our products should be denied their basic human rights.
- •No-one who works with our products should suffer physical or mental harm.
- •No children should be involved in working with our products we follow the UN Convention on the Rights of the Child.

Taking social responsibility also involves enabling those who make our products to have aspirations for the future. The manufacture of our products requires craftsmanship and we encourage everyone who works for us to develop their skills.

We carry out such close checks on the manufacture of our products that the risk of our code of conduct being breached is minimal. At the factories we collaborate with, we carry out unannounced visits at regular intervals and we also have our own on-site supervisors. Sometimes, we also engage an independent party to carry out inspections. Should a deficiency appear, we take immediate action to rectify the situation. If the problem occurs again, we terminate our cooperation. We also think that it is important to show the utmost respect for the traditions, customs and practices of the country of manufacture, and we combine this with our requirements.

Safety, honesty and care are important principles to Ejendals. Everyone who works with us should feel and notice these guiding principles – in all contexts.

Certified

At Ejendals, we work continuously to improve our operations. This includes the way we work, cooperate with others and take responsibility. Over the years, we have drawn up different systems for our way of working and are now certified in accordance with several standards. These vouch for the fact that our procedures are in good order, that we comply with laws and regulations, that our management takes responsibility, and that we work in accordance with the policies we have in place.

OHSAS 18001 Working environment management system
AFS 2001:1 Working environment management system
ISO 9001 Quality management system
ISO 14001 Environmental management system





Environmental efforts

We want future generations to be able to live in a good world. That's why we want to limit our environmental impact as much as possible. We continually make improvements to this end, but we are far from being done. We will continue to push ourselves for a better tomorrow.

What we currently do

We place strict environmental requirements on our suppliers and contractors for our products and packaging to have as little environmental impact as possible. In order for leather to be usable, chemicals need to be added. We strive to minimise the amount of chemicals used. There are EU directives specifying maximum levels of certain chemicals. Naturally, we keep below these limit values. Our laboratories are also valuable when it comes to our environmental work, by allowing us to constantly check our gloves and shoes.

WE MAKE OUR ENERGY CONSUMPTION AND TRANSPORTATION MORE EFFICIENT.

We rely heavily on transportation by boat and rail to avoid air shipments. A container facility close to our head office in Leksand enables us to send freight efficiently and coordinate transportation with local companies.

WE MINIMISE WASTE AND RECYCLE MATERIALS.

We are listed in the REPA register, which means that we recycle packaging wherever possible. We are certified in accordance with the environmental management systems ISO 14001.

WE PROMOTE ENVIRONMENTALLY FRIENDLY PRODUCTS.

By manufacturing high-quality gloves and shoes, we avoid unnecessary wear and disposal associated with lower-quality products. When it comes to our environmental work, we will not allow ourselves to be satisfied.



HAND PROTECTION


PROTECT YOUR HANDS	16
TEGERA [®]	17
RULES, STANDARDS AND CE MARKINGS	18
HOW TO CHOOSE, USE AND LOOK AFTER YOUR PROTECTIVE GLOVES	26
AVOID HAND INJURIES	29
WHAT WILL THE GLOVE BE USED FOR?	30
COLOUR CODING	
UNDERSTANDING MATERIALS	32
HAND PROTECTION AGAINST MECHANICAL RISKS	38
GENERAL PROTECTION GLOVES	42
CUT-RESISTANT GLOVES	83
CUT SLEEVES	93
ANTI-VIBRATION GLOVES	96
IMPACT-REDUCING GLOVES	99
ESD GLOVES	102
HAND PROTECTION AGAINST THERMAL RISKS	106
HAND PROTECTION AGAINST COLD	109
HAND PROTECTION AGAINST HEAT	125
HAND PROTECTION AGAINST HEAT AND WELDING RISKS	132
HAND PROTECTION AGAINST MICROORGANISM RISKS	
AND/OR CHEMICAL RISKS	134
HAND PROTECTION AGAINST CHEMICAL AND MICROORGANISM RISKS	140
HAND PROTECTION AGAINST MICROORGANISM RISKS AND WETNESS	15/

Protect your hands

Our product range gives you the choice of many different types of gloves, which are suitable for a wide variety of work tasks. Using proper gloves is crucial, and we will provide you with the right glove for the right job.

Our work gloves are the result of extensive research and advanced construction technology. They combine the ability to protect with an attention to ergonomics that allows the hands to carry out their tasks. The material and manufacturing method are crucial to a glove's protective properties.

Unprotected hands are exposed to many dangers that can cause cutting and mechanical damage. Injuries to the hands can also be caused by heat and cold. Chemicals can cause corrosion damage, eczema, cancer and damage to the internal organs if the correct protective gloves are not used.



The hands are our most important tools in almost everything we do. A hand has 27 different bones, 55 muscles and 30 joints. Complex mechanisms allow a hand to combine strength (the grip force is almost 50 kilos) with the ability to perform precision work.



Our publication Handbook, by researcher Dr. Olle Bobjer contains a lot of good advice on how to protect your hands.

TEGERA®

TEGERA® quality products protect hands in every situation. Special attention to ergonomics, comfort and fit has resulted in gloves with the best possible level of protection that also help people gain strength and endurance in their work.

The history of TEGERA® is filled with success stories and deep insights. The long experience is what gives TEGERA® its strength. The design and development of TEGERA® products has been done in Leksand, Sweden, since 1949.

WE PREVENT INJURIES BEFORE THEY HAPPEN

With an aim to exceed safety standards, TEGERA® delivers superior fit, feel and function to your hands. You can trust our gloves to deliver excellent protection against cuts and mechanical damages, as well as against chemicals and extreme temperatures.

Through on-going product development, in-depth materials know-how and advanced research collaborations, our products remain at the forefront of innovative safety gloves, and they continue to evolve as new knowledge comes to light.

A REALLY WIDE RANGE

In addition to a long tradition of reliability and superb quality, TEGERA® offers an unprecedented range of work gloves for every conceivable job. Our endeavor is to maintain and develop this wide selection. We do this partially by listening to our users and being attentive to their needs. Our product range is continually growing and improving.

Each glove has its own special features, protecting your hands when you work. Our products all have in common that they are high in quality, they are comfortable to wear and they look great.



Rules, standards and CE markings

If a protective glove is deemed to meet the safety requirements and is given a CE mark in an EU country, it can be exported and sold throughout the EU zone. To meet the requirements, the manufacturer has to comply with a number of EN standards. An EN standard includes demands, testing methods and requirements as to how the product is to be labelled in addition to the CE mark, and also sets out what the manufacturer's instructions for use must contain.

EXPLANATION OF THE RISK CATEGORIES

EU Directive 89/66/EEC divides personal protective equipment into three categories, depending on the level of risk involved. The greater the risk to which the user is exposed, the tougher the test requirements are concerning the gloves' protective ability and certification. Since the EU Directive regulations are framed in general terms, European standards have been developed that specify requirements, test methods and marking instructions. One such standard is EN 420, which lists general requirements for protective gloves.

CATEGORY I / SIMPLE DESIGN

This category covers gloves used for work with minimum risks that can be identified in good time. This includes for instance gloves with less stringent requirements as to mechanical durability and gloves that are required to protect against hot objects. Gloves of a more basic type such as gardening gloves and assembly gloves belong in this category. The manufacturer must be able to show that the product meets the basic requirements for protective gloves (in accordance with EN 420), and is responsible for guaranteeing the CE marking. This applies to all protective gloves.

CATEGORY II / INTERMEDIATE DESIGN

Many protective gloves belong in this category, such as gloves where the requirements include mechanical durability to protect against, for example blade cuts. If gloves are to be given a CE mark, the manufacturer must be able to show that the product meets both the basic requirements and further standards that may apply to specific areas of use, such as welding gloves. The gloves must be tested by an approved laboratory and be type-approved by a notified body that issues certificates. Gloves in Category II must be marked with a pictogram, i.e., a symbol showing what the glove has been tested against and at what performance level. If the glove is intended to protect against mechanical risks (in accordance with EN 388), a four-figure code is shown beside or beneath the pictogram. These figures denote performance levels from tests against abrasion, blade cuts, tearing and puncture.

CATEGORY III / COMPLEX DESIGN

These gloves can offer protection against things like highly hazardous substances. They are required to protect against permanent damage in situations where the user may have difficulty detecting the risks in time. This includes for instance gloves that protect against heat (above +100°) and extreme cold (below -50°) and gloves used for handling most chemicals. The gloves must be tested by an approved laboratory and be type-approved by a notified body. A further requirement is a yearly inspection of the production process and the gloves will be properly checked to ensure the right quality. Not until this is done may the gloves be given a CE mark. The notified body's identity code (four figures) is to be placed directly after the CE mark, i.e. CE 0123.

PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS (EN 420)

Summary of the requirements

- The gloves must have been made so as to provide the protection they are intended for.
- The seams and edges must not cause harm to the user.
- The gloves must be easy to put on and take off.
- The material must not harm the user.
- The pH of the gloves should be between 3.5 and 9.5.
- Chromium (VI) content should be below 3 mg/kg in leather gloves.
- The manufacturer must state whether the glove contains substances that may cause allergies.
- The protective quality of the glove must not be affected if the washing instructions are followed.
- The gloves must allow maximum finger mobility (dexterity), given the need for protection.

Size	Circumference of hand (mm)	Length (mm)	Minimum length of glove (mm)
6	152	160	220
7	178	171	230
8	203	182	240
9	229	192	250
10	254	204	260
11	279	215	270

It is important to choose the right glove size (see table above). Using gloves that are too large may increase the risk of accident. The sizing system in the above table is based on hand size, i.e., circumference and length. The standard also specifies requirements for resistance to water penetration, which is measured where necessary. In the case of anti-static gloves, special rules apply.

MARKING REQUIREMENTS

Each glove is to be marked with:

- The name of the manufacturer.
- The designation, e.g., TEGERA® 9232.
- The size.
- The CE mark.

Gloves belonging to Category II and Category III must also be marked with the following:

- A pictogram denoting the type of risk that the glove has been tested for.
- The performance level and the reference to the relevant EN standard, e.g. 388, next to the pictogram.
- The four-figure code after the CE mark (only applies to protective gloves in Category III High Risk).

REQUIREMENTS CONCERNING INSTRUCTIONS FOR USE



This pictogram shows that instructions for use are included with the gloves' packaging. The instructions should be readily available at the workplace and contain:

- The name and address of the manufacturer or representative.
- The glove and size designation.
- Reference to the EN standard that the glove has been tested against.
- An explanation of the pictogram and the mark.
- Information on substances in the glove that may cause allergies.
- Care & storage instructions.
- Guidance on disposal of the glove after use.
- Instructions on limitations of use.
- Warnings concerning any mechanical or thermal risks and/or chemical health hazards.
- Information on which chemicals have been tested and up to which level (applies to chemical protection gloves).
 Refers to the chemicals that form the basis for certification; others are available separately.

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS (EN 388)

This pictogram shows that the glove is intended to give protection against mechanical hazards. In order to be marked with this pictogram, the glove must be tested in accordance with

standard EN 388 and must be approved by a notified body. Here, the glove's resistance to abrasion, cutting, tearing and puncture is tested. These particular properties have been chosen since they largely reflect reality. After the tests, the glove is given a performance level rating for each and every one of the mechanical risks listed. This rating is on the scale of 1-5. The highest rating is 4 or 5. The glove is marked with the rating figures from the test and the numerical code is displayed alongside the pictogram. The glove's ability to protect against mechanical risks of various kinds is tested in the following ways:

A. Resistance to wear

The material of the glove is abraded with sandpaper under pressure and the number of cycles required to wear a hole in the material is measured. The highest performance level is 4, which corresponds to 8,000 cycles.

B. Resistance to cutting

Here, the test involves measuring the number of cycles required for a circular knife rotating at constant speed to cut through the glove. The result is compared with a reference material and an index figure is established. The highest performance level is 5, which corresponds to an index of 20.

C. Tear resistance

An incision is made in the glove material. The amount of force required to tear the material apart is then measured. The highest performance level is 4, which corresponds to a force of 75 N.

D. Puncturing resistance

The test involves measuring the amount of force required to pierce the glove with a standard sized point and at a given speed (10 cm/min). Here, the highest performance level is 4, which corresponds to a force of 150 N.

Property	(Maximum performance)
A) Resistance to wear (No. of revolutions)	(4)
B) Resistance to cutting (Index)	(5)
C) Tear resistance (Newton)	(4)
D) Puncturing resistance (Newton)	(4)

Level of protection	1	2	3	4	5
A) Resistance to wear (No. of revolutions)	100	500	2000	8000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

The table shows what requirements apply at each performance level.

WARNING If you work with moving machine parts, choosing a glove that is the right size and made from a less durable material is vital, since the glove easily tears apart if you get caught in the machinery.

THE MARKS YOU MEET ON OUR CHEMICAL PROTECTION GLOVES (EN 374)

Gloves approved in accordance with EN 374 are always marked with the pictogram on the left and with one of the three pictograms on the right. If the product complies with an earlier version of the standard (1994), the pictogram at the far right is included.

Penetration testing - is the glove leakproof?

Gloves that are to give protection against microorganisms and chemicals must be impenetrable (without holes). In the case of

EN 374-2:2003 thin, disposable gloves, penetrability is tested by filling the glove with water or air. If the water or air leaks out the glove is deficient. The results are expressed in terms of the highest number of deficient gloves per hundred, described as the acceptable quality level (AQL). Level 2 is the lowest acceptable level for the

Penetration	AQL
Level 1	< 4,0
Level 2	<1,5
Level 3	< 0,65

Permeation testing - how rapidly does the chemical penetrate??





pictogram on the left.

Gloves designed to protect against chemicals and which are marked with one of the pictograms to the left must first undergo a penetration test.

Permeation is measured in terms of break-through time, which is the time it takes for a chemical to penetrate the glove material. For the lowest level, Level 1, the time is at least 10 minutes. The highest level is Level 6, for which the breakthrough time is at least eight hours.

Permeation	Breakthrough time
Level 1	10 min
Level 2	30 min
Level 3	60 min
Level 4	120 min
Level 5	240 min
Level 6	480 min



EN 374-3:2003



This pictogram shows that the glove gives protection against three chemicals from the Chemical List EN 374 table for at least 30 minutes (Level 2). The three-letter code accompanying the pictogram shows which chemicals are involved. The glove may also have been tested against other chemicals besides those in the table. Which chemicals it has been tested against, and which breakthrough times apply, is specified in separate information. Contact your seller.

EN 374-3:2003 "Chemical List"				
Code	Chemical	Cas number		
A	Methanol	67-56-1		
В	Acetone	67-64-1		
С	Acetonitrile	75-05-8		
D	Dichloromethane	75-09-2		
E	Carbon disulphide	75-15-0		
F	Toluene	108-88-3		
G	Diethylamine	109-89-7		
Н	Tetrahydrofuran	109-99-9		
I	Etyl acetate	141-78-6		
J	n-Heptane	142-85-5		
K	Sodium hydroxide40%	1310-73-2		
L	Sulphuric acid 96%	7664-93-9		



EN 374-3:2003

This pictogram from EN 374:2003 means that the glove has failed to attain Level 2 in the permeation test for three of the chemicals in the table. But the glove may have coped with fewer chemicals or a shorter breakthrough time than

30 minutes. Or it may have been tested against other chemicals besides those in the table. Which chemicals it has been tested against, and which breakthrough times apply, is specified in separate information.

WARNING Heat and wear affect the glove's resistance to chemicals. A glove that gives protection against one chemical may perform poorly in relation to another.

 $\textbf{IMPORTANT} \hspace{0.1cm} \textbf{All gloves must be thrown away (in the} \\$ hazardous waste bin if required) no more than 8 hours after initial contact with the chemical.

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE) (EN 407)



This standard specifies thermal performance for protective gloves in relation to heat and/or fire. These risks mainly involve contact with strong heat generated as a result of combus-

tion, radiation or molten metal. Gloves marked with this pictogram show that they give protection against one or more of the thermal risks. What the glove protects against (A-F in the right-hand column) and up to what performance level (1-4) must be stated next to the pictogram. The gloves are required to attain at least Level 1 for abrasion resistance and tear resistance in accordance with EN 388.

THE TEST COVERS:

A. Resistance to burning behavior

Here, the test involves measuring the time it takes for the glove material to stop burning and glowing after being exposed to a gas flame for 15 seconds. The highest performance level is 4, which represents an afterburn time of no more than two seconds and an afterglow time of no more than five seconds. If the glove risks coming into contact with fire, it must attain at least Level 3.

B. Contact heat resistance

The test involves measuring the temperature range $(100^{\circ}\text{C}-500^{\circ}\text{C})$ at which the glove gives protection for 15 seconds without the inside of the glove becoming ten degrees hotter. The highest performance level is 4, which means the glove can withstand +500°C.

C. Convective heat resistance

(= gradually penetrating heat) This is based on the length of time the glove is able to delay the transfer of heat from a flame to the extent that the temperature on the inside increases by 24 degrees. The highest performance level is 4.

D. Radiant heat resistance

The glove is exposed to heat radiation. The test involves measuring the time it takes for a given amount of heat to penetrate the glove. The highest performance level is 4, which means that the glove gives protection for at least 95 seconds.

E. Resistance to small splashes of molten metal

Here, the test involves measuring how many drops of molten metal are needed to increase the temperature between the glove material and the skin by 40° C. The highest performance level is 4, which corresponds to 35 drops or more.

F. Resistance to large quantities of molten metal

This test shows how many grams of molten iron are required to damage synthetic skin (PVC) attached to the inside of the glove material. The highest performance level is 4, which corresponds to 200 grams of liquid metal.

EN 407 - Testing				
Level of protection	1	2	3	4
A. Burning behaviour (s) After flame time After glow time	≤20 no requirement	≤10 ≤120	≤3 ≤25	≤2 ≤5
B. Contact heat (s)	100°C ≥15	250°C ≽15	350°C ≽15	500°C ≽15
C. Convective heat (s)	≥4	≥7	≥10	≥18
D. Radiant heat (s)	≥ 7	≥20	≥50	≽95
E. Small splashes of molten metal (no)	≥10	≥15	≥25	≥35
F. Large quantities of molten metal	30	60	120	200

WARNING The glove must not come into contact with fire if it does not attain performance level 3 when tested for resistance to flammability.

PROTECTIVE GLOVES AGAINST COLD (EN 511)



Gloves carrying this pictogram meet the requirements for protection against cold. The performance level attained by the glove is stated next to the pictogram. Gloves giving

protection against cold are tested for two different cold situations: penetrating or convective cold (a) and contact cold (b), i.e., direct contact with cold objects. In both cases, the highest performance level is 4. Testing resistance to permeability by water (c) is done when relevant. There are two ratings here: 0 and 1. If no water has penetrated after 5 minutes the glove is marked with a 1 as the last number in the code beside the pictogram. Otherwise the rating is 0.

The pictogram may only be used for gloves that have attained performance level 1 for convective cold or contact cold. An X means that it is not relevant to test the glove for permeability by water. All gloves must attain at least performance level 1 for abrasion resistance and tear resistance under EN 388. In the case of extreme cold, the requirements concerning mechanical resistance are stricter. From Level 2 upwards, the gloves have to attain at least performance level 2 for abrasion resistance and tear resistance.

		_	
ΕN	511	- 1	esting

Level of protection	0	1	2	3	4
A. Convective cold (isolation ITR/m²)	I<0,10	0,1 <i <0,25</i 	0,15 <i <0,22</i 	022 <i <0,30</i 	0,30 <i< td=""></i<>
B. Contact cold (termic resistance R/m²)	R<0,025	0,025 <r <0,050</r 	0,050 <r <0,100</r 	0,100 <r <0,150</r 	0,150 <r< td=""></r<>
C. Water penetration, 30 min	penetration	no penetration			

GLOVES SUITABLE FOR CONTACT WITH FOODSTUFFS

The EU's framework regulations for materials with contact with foodstuffs EC/1935/2004 establish general guidelines for all materials that may come into contact with food, including gloves. The materials used may not alter the food to such an extent that human health is at risk. Nor may the materials cause any unacceptable change in the composition of the food products or affect their taste and smell.

The EU regulation on materials in contact with food

Regulation 10/2011 replaced several previous directives but only applies to plastics. In the case of other materials, such as rubber, no regulations have been introduced as yet; instead, member states are referred to the recommendations of the German BfR, Das Bundesinstitut für Risikobewertung.

All materials are analysed in order to gauge the extent to which substances are transferred – migrate – from gloves to food of one kind or another. The food is divided into different groups, such as aqueous, acidic, alcoholic and fatty. Additional groups are listed in Regulation 10/2011. In the migration analysis, a simulant is used that resembles each food group. A glove material can be tested against one or more groups.

Food product group	Simulator	Examples of foodstuffs
Aqueous	Distilled water	Vegetables, drinks, etc, with pH>4.5
Acidic	3% acetic acid	Juice, fruit pieces, sauces, dressings, etc. with pH<4.5
Alcoholic	10 % alcohol	Wine, vinegar
Fatty	Olive oil or another equivalent simulator	Butter, cheese, meat, fish, fowl, chocolate, etc. Specific so-called reduction factors applicable to various foodstuffs

Gloves that have been approved for handling foodstuffs are marked with the 'fork and glass' pictogram. It should be noted that the gloves may be suitable for some food groups but not for others. Contact your seller if you need further information. Tests for fatty foods use simulants equivalent to 100% fat, but the actual fatty content of foodstuffs may vary. For this reason, the migration test results are divided by a fat reduction factor (FRF) of 2-5, to reflect different foods. In the case of meat, for instance, the test result for fatty foods is divided by 4 (FRF 4). The figure thus obtained must be below the set limit of 10 mg/dm2 for a glove to be approved. The test is conducted for a specific length of time and at a specific temperature. In the case of rubber materials this is 10 minutes at 40°C.

- Migration from the glove material to the food simulant may not exceed 10 mg/dm2 of material.
- Specific limits are enforced for certain special substances and additives in materials that come into contact with food.



How to choose, use and look after your protective gloves

In this section, we provide tips and guidance on how to choose, use and look after your gloves and also on how to dispose of them afterwards.

CHOOSING GLOVES

- Risk assessment.
- · Assessment of protection needs.
- · Choice of protective gloves.



1. RISK ASSESSMENT

Start by examining what risks may be present or may develop in the work environment. This makes it easier to choose the right gloves and to prevent employees from being harmed, falling ill or suffering some other kind of

detriment

- Sharp objects are the most common cause of hand injuries.
- Work involving hot objects, hot liquids or welding or work in an environment with radiant heat or molten metal droplets can cause severe burns.
- Work in extreme cold or work involving liquid gas can cause frostbite.
- Chemicals can cause damage to the inner organs via skin absorption, or to the skin itself through corrosion and hypersensitivity (sensitisation), and can also cause cancer, reduce fertility and damage the gene pool.
- Biological risks can be harmful to health.
- Moving machine parts can cause severe crushing.
- Vibrating machinery and tools can cause vibration injuries.



2. ASSESSMENT OF PROTECTION NEEDS

Based on the risk assessments and the job to be done, a suitable protective glove is chosen. The following steps are used:

- · Quantify the risks.
- Decide how much arm/hand needs to be protected + size.
- Decide the performance level, based on the relevant EN standard.

THE SAFETY DATA SHEET is a document containing information on things like health and environmental hazards and other aspects connected with certain chemical products and substances. For professional uses, a safety data sheet is mandatory, even for prepackaged products.





3. CHOICE OF PROTECTIVE GLOVES

Whether the protection requirements are met depends entirely on the glove's material properties. This is why the result of the materials testing in accordance with the relevant standard

is of prime importance when choosing protective gloves. Other important factors are:

- A good fit right size and design.
- Tactile properties ability to feel objects.
- Freedom of movement suppleness of the material.
- Comfort whether the glove is comfortable and warm/cool enough.

When choosing your glove, you should decide how resistant it needs to be to one or more of the following factors:

- Abrasion, blade cuts, puncture, heavy wear.
- Cold.
- Heat.
- Relevant chemicals, electrostatic charges or microorganisms.

Our publication, 'Are you using the right protective gloves?', contains valuable guidance on chemicals protection. If you should get lost in our extensive range of products, we can help you find the right ones.

USER INSTRUCTIONS



The instructions for use that accompany the package contain important information for the user. These instructions should therefore be readily available at the workplace.







LOOKING AFTER YOUR GLOVES

If protective gloves are re-used, they must be inspected. Are they clean and whole? Have they lost their protective properties? The instruc-

tions for use must show how the gloves are to be cleaned, dried and stored; they should also be clean inside.

If the gloves have been used for dealing with hazardous chemicals, they should be thrown away at the end of the working day – or earlier.

Gloves should be stored in such a way that their protective properties are kept intact. Some glove materials, such as natural rubber, have a limited storage time.



GLOVES AS WASTE

There should be set procedures for how gloves are to be used at the work-place, and also for how they are to be disposed of as waste. The gloves are in fact combustible but the way they have been used may affect their disposal.

 $Special\ environmental\ rules\ apply\ in\ the\ case\ of\ gloves\ used\ to\ handle\ hazardous\ chemicals.$

WHICH MATERIALS OFFER THE BEST PROTECTION? Let us help you choose the right protective glove.

Avoid hand injuries

If you injure your hands, your quality of life deteriorates and it may take a long time for you to recover. But with the right hand protection you can minimise the risk of injury. Under the PPE Directive (Personal Protective Equipment), employers are required to familiarise themselves with the work environment legislation that applies to their activities. They are required for instance to carry out risk assessments so as to ensure that employees are given suitable protective equipment and that things like chemical management are safe. Always use gloves that specifically fit your hands and the environment in which you work.

BLADE CUTS When handling machine parts or tools with sharp edges, you can easily suffer a cut. Unprotected cutting edges on machine tools and hand tools are also a major risk.

VIBRATION INJURIES People working with hand-held vibrating machines and tools can suffer vibration damage. These injuries develop gradually and may be incurable. People working with strongly vibrating equipment may also experience problems with neck and upper shoulder pains that spread down into the arms and hands. Pain in the shoulder blades and elbows are also commonplace.

CRUSHING INJURIES involve the mechanical overburdening of the fingers' bones and tissue. Even when the hand is only slightly crushed, blood vessels can burst. Muscles, tendons, blood vessels and nerves may also be crushed. A crushing injury often occurs when a glove gets caught in moving parts of a machine. If you work on moving machine parts, choosing a glove that is the right size and made from a less durable material is vital – the glove easily tears apart if you get caught. The test results in EN 388 can serve as a useful guide in finding the right kind of glove.

FROSTBITE When the air temperature is below $+10^{\circ}$ C, you can suffer frostbite. The risk increases in the presence of wind and damp. Direct contact with cold surfaces chills the hand severely. People who work outdoors in the cold are particularly vulnerable, but those working in cold environments indoors, e.g., in the food industry, are also at risk.

BURN INJURY A major burn injury is one of the biggest traumas a person can be exposed to. Many burns heal spontaneously but major injuries result in lifelong scarring. Always wear gloves during hot work, whether you work in a canteen kitchen or in industry.

HYPERSENSITIVITY/ALLERGY Hypersensitivity is when someone repeatedly displays symptoms in reaction to things around them that most other people do not react to. Allergies are an acquired hypersensitivity to a particular substance. Some occupational groups are more exposed than others to substances that cause hypersensitivity and allergies. With the right protective gloves, problems can be avoided or eased.



What will the glove be used for?

Before buying work gloves you have to know what they'll be used for. Do you need a glove for precision work or for cruder tasks? A glove that gives protection from heat or cold? Or that protects you from vibration or blade cuts? However good the glove is – if you want the best possible protection you need to choose the correct size and make sure the glove is suitable for the work in hand

PRECISION WORK

For precision and assembly work, your fingers need freedom of movement. The gloves must be supple, flexible and ergonomically sound.

ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.



Colour coding

The inclusion of this colour coding on the glove label, on the packaging or on the edging makes it easier for you to find your size quickly.

Please note: Brands other than TEGERA® may have different colour coding.

Size 4 - Orange

Size 5 - Pink

Size 6 - White

Size 7 - Yellow

Size 8 - Red

Size 9 - Green

Size 10 - Blue

Size11-Grey

Size 12 - Black

Size 13 - Brown



Understanding materials

Both the material and the manufacturing method are of crucial importance in determining a glove's level of protection. Every detail in a TEGERA® glove is carefully considered in terms of comfort, safety and ergonomics. There are plenty of cheap copies on the market that both feel and look credible. Our gloves are thoroughly tested. This is why they deliver what they promise.

SYNTHETIC LEATHER - A SUPERMATERIAL

Synthetic leather is a high-tech material. We have come a long way in our development work and can now produce specially tailored gloves for many different tasks, often in collaboration with our customers. But our journey is not finished yet. New challenges await. Test us!

Many TEGERA® PRO gloves are made from Microthan® and Macrothan® – two high-tech synthetic materials that are superior to natural leather in many respects. They are thin and strong, which means the gloves are hardwearing, supple and display fingertip sensitivity. The suppleness of the material also allows for a sophisticated ergonomic design, enhancing both safety and comfort. Microthan® and Macrothan® are only found in TEGERA® gloves. They are also chrome-free.

MICROTHAN® is flexible and durable. Its foremost feature is the superb grip it provides. Microthan® is a synthetic material comprising a polyurethane coating with a knitted nylon backing.

MICROTHAN®+ has the same excellent properties as Microthan® but is thicker and has a grooved surface. As a result, the material is highly durable and provides better grip.

MACROTHAN® is ideal for both work gloves and assembly gloves. The material consists of soft polyurethane and microfibre. Macrothan® comes in various thicknesses. The material breathes, which makes the gloves pleasant to work with, even during long shifts.

 $\label{eq:macro} \textbf{MACROTHAN} \$ + \text{ is a highly flexible and breathable material. It contains silicone, making it very durable. Suitable for work that puts very high requirements on strength, fit and handling.}$

VIBROTHAN® is a specially designed foam-based material that reduces vibrations.

 $\label{lem:mactor} \textbf{IMPACTOTHAN}^{\circ} \text{ is a specially designed dampening material that distributes force of impact across the whole hand.}$

 $\label{eq:AQUATHAN* is a membrane} A QUATHAN* is a membrane that allows excess heat and moisture to escape from your body whilst preventing liquids from getting in. The membrane is wind and water proof.$


LEATHER

Leather is strong, easily shaped and supple. It also adapts to changes in temperature. All TEGERA® leather gloves are manufactured from carefully selected and carefully tanned hides to ensure the highest possible durability and flexibility. We also supply chrome-free leather gloves.

Hide has different qualities depending on the part of the animal from which it comes. The back and shoulders of an animal produce very strong leather, while the flanks produce softer leather. Before processing, the hide is split into two layers. The outer layer is referred to as full-grain or nappa, while the inner layer is called split-grain.

FULL-GRAIN OR NAPPA is durable, soft, flexible and moisture-resistant. This means that it is ideally suited for making assembly gloves where high levels of fingertip sensitivity and comfort are required.

SPLIT-GRAIN LEATHER has a coarser surface than full-grain leather. It is also heat-resistant and available in many thicknesses. Split-grain leather is ideal for work gloves meant for tougher jobs and where a good grip is required. Often used in welding gloves due to its insulating properties, it is flexible despite its thickness.



COWHIDE is very durable and resistant to rough use. A glove of thick, split-grain cowhide is an excellent alternative, even for handling hot objects.

GOATSKIN is thin, supple and durable. A goatskin glove therefore is ideal for both demanding jobs and work requiring fingertip sensitivity – the glove conforms to the movements of the hand.

 $\mbox{\bf PIGSKIN} \ \mbox{is excellent for general use.} \ \mbox{The material breathes and the gloves become softer and more comfortable with use.}$

 ${\bf OXHIDE}\ from\ specially\ selected\ hides\ is\ generally\ of\ higher\ quality\ than\ cowhide.\ Oxhide\ gloves\ are\ therefore\ a\ good\ choice\ for\ both\ lighter\ and\ tougher\ jobs.$

TEXTILE MATERIALS

Textiles are not only found in textile gloves but are also common on the upper surface of leather gloves. While a textile glove is rarely exposed to the same wear and tear as a leather work glove, the choice of material is often crucial to both safety and comfort. Textiles can consist of both natural and synthetic materials.

THE MAIN FEATURES OF SYNTHETIC FIBRES

- Available in different varieties.
- Good strength.
- High stretchability and elasticity.
- Good dyeing properties.
- High crease resistance.
- Low moisture absorption.
- Prone to electrostatic charge.
- Pilling formation tendencies increase when mixed with other fibre materials.
- Burns quite poorly but can melt and cause severe burns.

MAIN FEATURES OF COTTON

- High comfort.
- Good strength.
- · Low stretchability.
- Good moisture absorption.
- Inclined to shrink.
- Burns like paper and cellulose, does not melt.

POLYESTER is a strong, stretchable, shrinkproof synthetic fibre that doesn't absorb moisture. It is widely used and has many varieties. Good strength, good abrasion resistance and high resistance to light.

ACRYLIC is a synthetic fibre which can retain air, meaning that it has good thermal insulation properties. It is often used as an alternative to wool in linings. Very high resistance to light, heat sensitive. Soft feel, resembles wool, moderate resistance to wear.

NYLON is a synthetic fibre that is very strong, flexible and elastic. Poor moisture absorption.

PARA-ARMID, also known as aromatic polyamide, is about four times as strong as ordinary polyamide. The material is extremely heat-resistant and difficult to ignite. A well-known brand is DuPont™ KEVLAR®.

VISCOSE is a synthetic fibre made from cellulose. It has the same kinds of properties as cotton: it absorbs moisture well, is soft and comfortable. There are different types of viscose depending on manufacturing method and raw material: Viscose, Modal and Lyocell.

BAMBOO VISCOSE Bamboo viscose is made from bamboo. It absorbs moisture well and transports it away from the feet. It is extremely comfortable and soft against the skin.

MODAL Modal is a type of viscose fibre with even better properties that regular viscose: it is stronger and has better wet strength yet remains as soft and smooth. We use Lenzing Modal® which is a modal fibre made from beech wood. It absorbs moisture well and transports moisture away efficiently.

UHMWPE/HPPE – Ultra High Molecular Weight Polyethylene/High Performance Polyethylene – an extremely strong and light polyethylene fibre used for instance in gloves that protect against cutting injuries.

COTTON is often used for textile gloves and for the back of leather gloves. It can be woven or knitted (tricot). Cotton is often sufficient for gloves designed for light jobs.

DIPPING MATERIALS

 $\label{polyurethane} \textbf{POLYURETHANE}, \textbf{PU} \text{ is an extremely durable synthetic material}. \textbf{PU} \text{ protects against both vegetable and animal fats and oils}.$

 $\label{eq:NITRILE} \textbf{NITRILE, NBR} \ \text{is a rubber material that is highly resistant to cuts}.$

 $\textbf{LATEX/NATURAL RUBBER, NR} \ \text{has a high level of elasticity that it retains even at low temperatures.} \ Good grip.$

 $\label{eq:polyvinyl} \textbf{POLYVINYL CHLORIDE, PVC, (VINYL)} \ \ \text{Dipping in PVC often results in slightly thicker and denser materials.} \ \ \text{Suitable for wet and heavy work.}$



CHEMICAL PROTECTION GLOVES

Our chemical protection gloves are available in most protective materials currently on the market. This overview includes a summary of the different materials and their protective properties. Please note that the descriptions only include examples of the materials' resistance to some common chemicals. Therefore, always use our chemical protection guide or contact our specialists when choosing chemical protection gloves.

THINGS TO CONSIDER WHEN CHOOSING CHEMICAL PROTECTION GLOVES

- A glove material that protects against a specific chemical may offer poor protection against mixtures of chemicals.
- Chemical protection gloves are often intended for one-time usage. They should not be reused.
- Higher temperatures shorten the time for the chemical to permeate.
- In general, thicker materials give longer breakthrough times.
- When a chemical has been absorbed into the protective glove, it continues to permeate it.
- Permeation through the protective glove takes place on a molecular level and is thus not visible to the naked eye.
- Even the best glove loses protective power if it is mechanically damaged or has been permeated by the chemical.
- Chemicals which are highly caustic can destroy the glove material through degradation before the stated breakthrough time.



CHEMICAL PROTECTION GLOVES: MATERIALS

NITRILE, **NBR** is a rubber material that is highly resistant to piercing. Protects against aliphatic hydrocarbons such as unleaded petrol, diesel, hexane, paraffin and octane. However, it provides poor protection against aromatic hydrocarbons, e.g., toluene.

LATEX/NATURAL RUBBER, NR is highly elastic and is used to make gloves for medical care and housework. It provides little protection against many oil-based solvents but can be used against water-soluble substances such as hydrogen peroxide, potassium hydroxide, glycol and certain acids. Natural rubber contains a protein that can cause an allergic reaction in some people.

NEOPRENE/CHLOROPRENE RUBBER, CR is an elastic and relatively durable rubber material that protects against battery acid, phenoxy acids, phosphor acid, hydrochloric acid and sodium and potassium hydroxide.

BUTYL RUBBER IIR protects against aldehydes (e.g., formaldehyde), glycol ethers (e.g., ethylene glycol), ketones (e.g., methyl ethyl ketone) and acids. Butyl often gives protection where other rubber materials perform less well.

POLYTHENE, **PE** is used to make very thin, disposable gloves. Polythene is also used in laminates for gloves, which facilitates protection against a wider range of chemicals.


LAMINATES are constructed from several barriers and offer protection against a wide range of chemicals.

POLYVINYL ALCOHOL, PVAL is a water-soluble polymer. Gloves in this material are often thin and have only a limited fit. They provide protection against most organic compounds, including methylene chloride, toluene, 1,1,1-trichloroethane and trichloroethylene. Cannot be used with water or water-soluble chemicals.

POLYVINYL CHLORIDE, PVC, (VINYL) is used both in thin, disposal gloves and in thicker chemical protection gloves. Can be used against chemicals such as phosphoric acid, hydrogen peroxide, sodium hydroxide (caustic soda) and potassium hydroxide.

 $VITON^{\circ}$ is a fluoroelastomer that gives protection against aromatic compounds and solvents such as turpentine, toluene, xylene and trichloroethylene. Viton $^{\circ}$ is a trademark of DuPont Dow Elastomers.





Mechanical risks

This chapter presents gloves that offer protection against mechanical risks – crushing, cuts and vibration damage. Crushing injuries often occur when a glove gets stuck in moving machine parts. Cuts are frequent among workers handling components or tools with sharp edges. Vibration injuries develop over time and may be incurable. Those most at risk are people who use vibrating machines and tools in their work.

Our glove range includes vibration- and impact-dampening models developed with the aid of a totally new technology. We use three different materials in our cut-resistant gloves: KEVLAR® fiber, Dyneema® and CRF®. We combine these exceptionally tough fibres with synthetic materials to also ensure flexibility, a good grip and fingertip sensitivity. We have also developed some leather work gloves made of chrome-free leather. These are specially designed for people with chrome contact allergies, but naturally work well for other users.



AVOID CRUSHING

To avoid crushing injuries you need to keep your hands away from moving parts and use gloves that closely fit your hand. Try out different models and materials. Check that the fingers of the glove are no longer than your own fingers. Also, tighten the Velcro fastener so that the glove doesn't slide forwards over the hand when you work.



AVOID CUTS

Use mechanical equipment such as lifting and moving devices as much as possible. Where manual handling is involved, you need gloves that provide strong protection against blade cuts, e.g., models using Dyneema®.



AVOID VIBRATION INJURIES


Choose your gloves carefully. When working with vibrating machinery and tools, always use anti-vibration gloves that have been approved in accordance with the EN ISO 10819 standard.

Wrist support

Our wrist-supporting gloves are designed for people who need support for the wrists but mobility and fingertip sensitivity in the hands. The wrist support stabilises the wrist and helps you keep your wrists as straight as possible. This is decisive for determining how long you will be able to work without becoming tired or risking long-term injury. The wrist support provides the wrist with the correct angle and counteracts full extension of the hand, which reduces the risk of long-term injury.

- Repeated high stress with an angled wrist is the hand's worst enemy. In the long run, excessively high stress may cause both impaired hand function and long-term medical problems.
- Nerves are sensitive to stress. If they are exposed to impact or strong pressures, they will react with paraesthesia, numbness and pain, which can ultimately lead to impaired function and paralysis.
- The most vulnerable nerve in the hand is where the palm meets the wrist. If it is subjected to repeated heavy shocks it can easily become damaged.





YOU SHOULD AVOID BENDING THE WRIST:

- 1. Extended upwards/backwards
- 2. Right out to the little finger
- 3. Right out to the thumb

A good grip and the correct working position are important for the hand. If the hand is angled inwards or outwards, grip strength is significantly reduced. The image abowe shows how much grip strength is reduced at various angles, compared to an optimum grip (Rogers 1987).



GENERAL PROTECTION GLOVES

The hand is not just one of the most important tools in almost everything we do each day. It is also one of the most complex and refined feelers we have to the world around us. Unprotected hands are exposed to unnecessary risks. Use protective gloves. Make it a habit. This will protect your hands and reduce your risk of injury. On the following pages you will find useful, practical gloves for precision work, allround work and heavier work.



PRECISION WORK

For precision and assembly work, your fingers need freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 9100

Synthetic leather glove, unlined, 0,5 mm, Microthan®, polyester, Cat. II, reinforced index finger, chrome free, for fine assembly work

PALM MATERIAL Microthan® BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 180° COLOUR Black, grey, yellow SIZE RANGE 5, 6, 7, 8, 9, 10, 11 LENGTH RANGE 212-238 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, reflector, specially designed details PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, dirty environments















TEGERA® 9105

Synthetic leather glove, unlined, 0,5 mm, Microthan®, polyester, Cat. II, reinforced index finger, chrome free, for fine assembly work

PALM MATERIAL Microthan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 5, 6, 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 216-253 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, precurved fingers, specially designed thumb, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, clean environments, dirty environments, slippery environments







EN 388 1121









Synthetic leather glove, unlined, 0,5 mm, Microthan®, polyester, Cat. II, chrome free, breathable back, for fine assembly work

PALM MATERIAL Microthan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE **7**, **8**, **9**, **10**, **11** LENGTH RANGE 181-219 mm PAIRS PER PACKAGE/CARTON 6/60 FEATURES Chrome free, breathable back, reinforced index finger, reinforced seams, padded palm, pre-curved fingers, detachable fingers, short model

PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent grip, extra comfortable, very breathable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, warm

environments, moist environments, dirty environments













TEGERA® 9195

Synthetic leather glove, unlined, 0,5 mm, Microthan®, nylon, Cat. II, wrist support, chrome free, for fine assembly work

PALM MATERIAL Microthan® BACK MATERIAL Nylon LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 5, 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-265 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Wrist-supporting, extra long, chrome free, reinforced index finger, reinforced seams, pre-curved fingers, specially designed thumb, ergonomically shaped, reflector, specially designed details, elastic

PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent grip, excellent fit, extra comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, dirty environments







EN 388









TEGERA® 9220

 $Synthetic \ leather \ glove, unlined, 0.5 \ mm, Macrothan^{\circ}, polyester, Cat. \ II, chrome \ free, breathable,$ for fine assembly work

PALM MATERIAL Macrothan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 214-250 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, reflector, soft, specially designed details PROPERTIES Extremely good fingertip sensitivity, extra flexible, excellent fit, extra comfortable, very breathable PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments















Synthetic leather glove, unlined, 0,5 mm, synthetic leather, nylon, Cat. II, chrome free, breathable back, for fine assembly work

 ${\sf PALM\,MATERIAL\,Synthetic\,leather}$ BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 360° COLOUR Grey, black, blue SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 210-235 mm PAIRS PER PACKAGE/CARTON 6/60 FEATURES Chrome free, breathable back, $reinforced\ index\ finger,\ reinforced\ seams,$

 ${\sf PROPERTIES}\, \textbf{Extremely good fingertip}$ sensitivity, extra flexible, good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, moist environments, oil and greasy environments, dirty environments













TEGERA® 325

Synthetic leather glove, unlined, 0,6 mm, synthetic leather, nylon, Cat. II, chrome free, breathable back, for fine assembly work

 ${\sf PALM\,MATERIAL\,Synthetic\,leather}$ BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 360° COLOUR Black, grey, blue SIZE RANGE 5, 6, 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 210-245 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread FEATURES Chrome free, breathable back, reinforced palm, reinforced seams PROPERTIES Extremely good fingertip sensitivity, extra flexible, excellent fit, extra comfortable, very breathable PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments













TEGERA® 320

 $Synthetic \ leather \ glove, unlined, 0,6 \ mm, synthetic \ leather, nylon, Cat. \ II, knuckle \ protection,$ chrome free, for fine assembly work

PALM MATERIAL Synthetic leather BACK MATERIAL Nylon LINING Unlined FASTENING Velcro® COLOUR Blue, black SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 223-248 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Chrome free, reinforced fingertips, knuckle protection, short model PROPERTIES Good fingertip sensitivity, flexible, good fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments













Synthetic leather glove, unlined, 0,6 mm, synthetic leather, polyester, Cat. II, reinforced index finger, chrome free, for fine assembly work

PALM MATERIAL Synthetic leather BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 180° COLOUR Black, green SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 220-240 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag FEATURES Chrome free, breathable back, reinforced index finger, reinforced fingertips,

PROPERTIES Good fingertip sensitivity, flexible, good grip, good fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments













TEGERA® 321

Synthetic leather glove, unlined, 0,6 mm, synthetic leather, polyester, Cat. II, reinforced index finger, chrome free, for fine assembly work

 ${\sf PALM\,MATERIAL\,Synthetic\,leather}$ BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 180° COLOUR Black, grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-260 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag FEATURES Chrome free, reinforced index finger, short model ${\tt PROPERTIES}\, \textbf{Good fingertip sensitivity, flexible,}$ comfortable

PRIMARY ENVIRONMENTS OF USE Dry











TEGERA® 114

 $Leather\ glove, unlined, 0,6-0,7\ mm, full\ grain\ goatskin\ of\ top\ quality,\ nylon,\ Cat.\ II,\ for\ fine$ assembly work

PALM MATERIAL Full grain goatskin of top BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 180° ${\sf COLOUR}\, \textbf{Grey, white}$

SIZE RANGE 5, 6, 7, 8, 9, 10, 11 LENGTH RANGE 210-260 mm PAIRS PER PACKAGE/CARTON 12/120 PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, excellent fit





EN 388 2001





Leather glove, unlined, 0,6-0,7 mm, full grain goatskin of top quality, nylon, Cat. II, for fine

 ${\sf PALM\,MATERIAL\,Full\,grain\,goatskin\,of\,top}$ quality

BACK MATERIAL Nylon

LINING Unlined

FASTENING Elasticated 180°

 ${\sf COLOUR}\, \textbf{Grey, white}$

SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 230-260 mm PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingertips PROPERTIES High level of protection, extremely

good fingertip sensitivity, excellent fit











TEGERA® 340

Leather glove, unlined, 0,6-0,7 mm, full grain goatskin, nylon, Cat. II, chrome free, for precision

PALM MATERIAL Full grain goatskin BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 180° COLOUR Grey, white

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 230-260 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread FEATURES Chrome free ${\sf PROPERTIES}\, \textbf{High level of protection}, \textbf{good}$ fingertip sensitivity, durable, excellent fit











TEGERA® 116

Leather glove, unlined, 0,6-0,7 mm, full grain goatskin, nylon, Cat. II, reinforced index finger, reinforced fingertips, for fine assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Nylon LINING Unlined FASTENING Velcro® ${\sf COLOUR}\, \textbf{Grey, white}$ SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 220-260 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingertips

PROPERTIES High level of protection, extremely $good\ fingertip\ sensitivity,\ durable,\ excellent\ fit$













Leather glove, unlined, 0,6-0,7 mm, full grain goatskin, nylon, Cat. II, for fine assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 180° COLOUR Blue, white SIZE RANGE 6, 7, 8, 9, 10, 11, 12

LENGTH RANGE 220-270 mm PAIRS PER PACKAGE/CARTON 12/120 PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments









TEGERA®

TEGERA® 113

 $Leather\ glove, unlined, 0,6-0,7\ mm, full\ grain\ pigskin,\ cotton,\ Cat.\ II,\ reinforced\ index\ finger,$ reinforced fingertips, for fine assembly work

PALM MATERIAL Full grain pigskin BACK MATERIAL Cotton LINING Unlined FASTENING Velcro® COLOUR Blue, black, grey, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 235-275 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES}\ \textbf{Reinforced}\ \textbf{index}\ \textbf{finger}, \textbf{reinforced}$ fingertips

PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, good grip,









TEGERA®

TEGERA® 737

Synthetic glove, nitrile, double-dipped, nylon, 15 gg, sandy finish, Cat. II, water and oil repellent, for fine assembly work

LINER MATERIAL Nylon, 15 gg DIPPING Double-dipped DIPPING MATERIAL Nitrile ${\sf GRIP\,PATTERN\,Sandy\,finish}$ COLOUR Black, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260 mm PAIRS PER PACKAGE/CARTON 12-120 DISPLAY Bag with euro slot FEATURES Water and oil repellent, anatomically designed, soft, specially designed details PROPERTIES High level of protection, good fingertip sensitivity, flexible, very durable, excellent grip, good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments, slippery environments











Synthetic glove, nitrile, half-dipped, Lycra $^\circ$, nylon, 15 gg, sandy finish, Cat. II, oil and grease resistant palm, for assembly work

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped DIPPING MATERIAL Nitrile GRIP PATTERN Sandy finish COLOUR Black, grey SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 270mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag with euro slot FEATURES Oil and grease resistant palm PROPERTIES Good fingertip sensitivity, durable, good grip, good fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Moist environments, oil and greasy environments





EN 388





TEGERA® 881

Synthetic glove, nitrile, nitrile foam, 3/4 dipped, Lycra®, nylon, reinforced grip pattern, Cat. II, water and oil repellent, for precision work

LINER MATERIAL Lycra®, nylon DIPPING 3/4 dipped ${\sf DIPPING\,MATERIAL\,Nitrile,nitrile\,foam}$ ${\sf GRIP\,PATTERN\,Reinforced\,grip\,pattern}$ COLOUR Black, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230-280 mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Hook with hangtag ${\sf FEATURES\,Water\,and\,oil\,repellent}$ ${\sf PROPERTIES} \, \textbf{Good fingertip sensitivity, durable,}$ good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments









TEGERA®

TEGERA® 887

Synthetic glove, nitrile foam, half-dipped, Lycra®, nylon, 15 gg, reinforced grip pattern, Cat. II, water and oil repellent palm, for precision work

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped ${\sf DIPPING\,MATERIAL\,Nitrile\,foam}$ ${\sf GRIP\,PATTERN\,Reinforced\,grip\,pattern}$ COLOUR Black, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120

 ${\sf DISPLAY\, Hook\, with\, hangtag}$ ${\sf FEATURES}\ Breathable\ back,\ water\ and\ oil$ repellent palm PROPERTIES Good fingertip sensitivity, durable, good grip, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments, slippery environments









Synthetic glove, nitrile foam, half-dipped, Lycra®, nylon, 15 gg, foam grip pattern, Cat. II, breathable back, water and oil repellent palm, for precision work

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped DIPPING MATERIAL Nitrile foam GRIP PATTERN Foam grip pattern COLOUR Black, grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Anatomically designed ${\tt PROPERTIES\, Highest\, level\, of\, protection,}$ extremely good fingertip sensitivity, extra flexible, very durable, excellent grip, excellent fit, extra comfortable, very breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments, slippery environments, harsh environments











TEGERA® 884

Synthetic glove, nitrile-dots, nitrile foam, half-dipped, Lycra®, nylon, 15 gg, dots, Cat. II, water and oil repellent palm, anatomically designed, soft, for precision work $% \left\{ 1,2,...,n\right\}$

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped DIPPING MATERIAL Nitrile foam MATERIAL Nitrile-dots GRIP PATTERN Dots COLOUR Black, grey SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Water}\ {\sf and}\ {\sf oil}\ {\sf repellent}\ {\sf palm}$ ${\tt PROPERTIES\, High\, level\, of\, protection, good}$ fingertip sensitivity, extra flexible, very durable, excellent fit, comfortable, very breathable, light PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments









TEGERA®

TEGERA® 873

Synthetic glove, nitrile foam, half-dipped, Lycra $^\circ$, nylon, 15 gg, foam grip pattern, Cat. II, water and oil repellent, for precision work

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped DIPPING MATERIAL Nitrile foam GRIP PATTERN Foam grip pattern COLOUR Black, grey SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ {\sf Oil}\ {\sf and}\ {\sf grease}\ {\sf resistant}$ PROPERTIES Good fingertip sensitivity, durable, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments











Synthetic glove, nitrile foam, 3/4 dipped, Lycra®, nylon, foam grip pattern, Cat. II, water and oil repellent, for precision work

LINER MATERIAL Lycra®, nylon DIPPING 3/4 dipped DIPPING MATERIAL Nitrile foam GRIP PATTERN Foam grip pattern COLOUR Black, grey SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120 FEATURES Water and oil repellent ${\tt PROPERTIES}\, \textbf{Good fingertip sensitivity, durable,}$ good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments









TEGERA®

TEGERA® 875

Synthetic glove, nitrile foam, half-dipped, Lycra®, nylon, 15 gg, foam grip pattern, Cat. II, water and oil repellent, for precision work

LINER MATERIAL Lycra®, nylon, 15 gg DIPPING Half-dipped ${\sf DIPPING\ MATERIAL\ Nitrile\ foam}$ $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Foam}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR White SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm

PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ Breathable\ back,\ water\ and\ oil$ ${\sf PROPERTIES} \, {\sf Good} \, {\sf fingertip} \, {\sf sensitivity}, \, {\sf durable}, \\$ good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments









TEGERA®

TEGERA® 732

Synthetic glove, nitrile PU foam, finger-dipped, cotton, Lycra $^{\circ}$, nylon, 15 gg, micro foam grip pattern, Cat. II, water and oil repellent palm, for fine assembly work $% \left\{ 1,2,\ldots ,n\right\}$

LINER MATERIAL Cotton, Lycra®, nylon, 15 gg DIPPING Finger-dipped ${\sf DIPPING\ MATERIAL\ Nitrile\ PU\ foam}$ ${\sf GRIP\,PATTERN\,Micro\,foam\,grip\,pattern}$ COLOUR Grey, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260 mm

PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ Breathable\ back,\ water\ and\ oil$ repellent palm PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments













Synthetic glove, nitrile PU foam, 3/4 dipped, cotton, Lycra®, nylon, 15 gg, micro foam grip pattern, Cat. II, water and oil repellent, for fine assembly work

LINER MATERIAL Cotton, Lycra®, nylon, 15 gg DIPPING 3/4 dipped DIPPING MATERIAL Nitrile PU foam ${\sf GRIP\,PATTERN\,Micro\,foam\,grip\,pattern}$ COLOUR Grey, blue SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260 mm

PAIRS PER PACKAGE/CARTON 12/120 FEATURES Breathable back, water and oil ${\tt PROPERTIES} \, Good \, fingertip \, sensitivity, \, durable, \,$ good fit, comfortable PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments









TEGERA®

TEGERA® 886

Synthetic glove, nitrile foam, 3/4 dipped, Lycra®, nylon, 18 gg, smooth finish, Cat. II, water and oil repellent, for fine assembly work

LINER MATERIAL Lycra®, nylon, 18 gg DIPPING 3/4 dipped DIPPING MATERIAL Nitrile foam GRIP PATTERN Smooth finish COLOUR Black, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 230 - 280mm

PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES\,Water\,and\,oil\,repellent}$ ${\tt PROPERTIES} \ {\tt Good} \ {\tt fingertip} \ {\tt sensitivity}, \ {\tt flexible},$ durable, good grip, good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Moist environments, oil and greasy environments, dirty environments









TEGERA®

TEGERA® 882

Synthetic glove, nitrile foam, fully dipped, nylon, 15 gg, micro foam grip pattern, Cat. II, water and oil repellent, for fine assembly work

LINER MATERIAL Nylon, 15 gg DIPPING Fully dipped ${\sf DIPPING\,MATERIAL\,Nitrile\,foam}$ GRIP PATTERN Micro foam grip pattern COLOUR Black SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 260mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES\,Water\,and\,oil\,repellent}$ ${\tt PROPERTIES} \ Good \ finger tip \ sensitivity, \ flexible,$ durable, good grip, good fit PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments













Synthetic glove, PU, half-dipped, nylon, 18 gg, smooth finish, Cat. II, water and oil repellent, for

LINER MATERIAL Nylon, 18 gg DIPPING Half-dipped DIPPING MATERIAL PU $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Smooth}\,\mathsf{finish}$ COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 220 - 250mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag FEATURES Water and oil repellent palm PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, breathable, extremely Light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments









TEGERA®

TEGERA® 896

Synthetic glove, PU, half-dipped, nylon, 18~gg, smooth~finish, Cat.~II,~breathable~back, water~and~synthetic~glove, PU, half-dipped, nylon, 18~gg, smooth~finish, Cat.~II,~breathable~glove, PU, half-dipped, nylon, 18~gg, smooth~finish, nylon, 18~gg, smooth~finish, 18~gg, smoil repellent palm, for precision work

LINER MATERIAL Nylon, 18 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR White SIZE RANGE 5, 6, 7, 8, 9, 10 LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 12/120

 ${\sf DISPLAY}\, {\sf Bag}\, {\sf with}\, {\sf euro}\, {\sf slot}$ ${\sf FEATURES}\ {\sf Water}\ {\sf and}\ {\sf oil}\ {\sf repellent}\ {\sf palm}$ ${\sf PROPERTIES}\, \textbf{Highest level of protection,}$ extremely good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments









TEGERA®

TEGERA® 890

Unlined, PU, palm-dipped, nylon, 15 gg, smooth finish, Cat. II

LINER MATERIAL Nylon, 15 gg DIPPING Palm-dipped DIPPING MATERIAL PU LINING Unlined GRIP PATTERN Smooth finish COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 250 mm PAIRS PER PACKAGE/CARTON 12/240 FEATURES Breathable back ${\tt PROPERTIES} \ {\tt Extremely} \ {\tt good} \ {\tt fingertip}$ sensitivity, extra flexible, durable, excellent fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dry environments, moist environments, dirty environments











Synthetic glove, PU, 3/4 dipped, nylon, 15 gg, smooth finish, nylon, Cat. II, water and oil repellent palm, for fine assembly work

BACK MATERIAL Nylon LINER MATERIAL Nylon, 15 gg DIPPING 3/4 dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey, white SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220-250 mm PAIRS PER PACKAGE/CARTON 12/240 ${\sf FEATURES\,Water\,and\,oil\,repellent\,palm}$ ${\tt PROPERTIES}\, \textbf{Good}\, \textbf{fingertip}\, \textbf{sensitivity}, \textbf{flexible},$ good fit, light PRIMARY ENVIRONMENTS OF USE Moist environments, oil and greasy environments, dirty environments











TEGERA® 850

Synthetic glove, PU, half-dipped, nylon, 13 gg, Cat. II, breathable back, oil and grease resistant palm, for precision work

LINER MATERIAL Nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU COLOUR White SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 220 - 270 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Breathable}\ {\sf back}, oil\ {\sf and}\ {\sf grease}$ resistant palm PROPERTIES Good fingertip sensitivity, good grip, good fit, breathable, light











TEGERA® 855

Synthetic glove, PU, half-dipped, nylon, 13 gg, Cat. II, oil and grease resistant palm, for precision

LINER MATERIAL Nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270 mm PAIRS PER PACKAGE/CARTON 12/120 ${\sf DISPLAY}\, {\sf Hook}\, {\sf with}\, {\sf hangtag}$ ${\sf FEATURES}\ {\bf Oil}\ {\bf and}\ {\bf grease}\ {\bf resistant}\ {\bf palm}$ PROPERTIES Good fingertip sensitivity, flexible, good fit, comfortable, breathable, light ${\sf PRIMARY}\, {\sf ENVIRONMENTS}\, {\sf OF}\, {\sf USE}\, {\sf Oil}\, {\sf and}\,$ greasy environments













 $Synthetic glove, 0,7-0,8 \ mm, PU, palm-dipped, nylon, 13 \ gg, smooth finish, Cat. \ II, oil and grease$ resistant palm, for precision work

LINER MATERIAL Nylon, 13 gg DIPPING Palm-dipped DIPPING MATERIAL PU $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Smooth}\,\mathsf{finish}$ COLOUR Black SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Breathable back ${\sf PROPERTIES} \ {\sf Extremely} \ {\sf good} \ {\sf fingertip}$ sensitivity, flexible, durable, good grip, good fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dirty environments













TEGERA® 861

Synthetic glove, PU, 3/4 dipped, nylon, 13 gg, smooth finish, Cat. II, for fine assembly work

LINER MATERIAL Nylon, 13 gg DIPPING 3/4 dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Black SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Water}\ {\sf and}\ {\sf oil}\ {\sf repellent}$ PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments











TEGERA® 866

Synthetic glove, PU, half-dipped, polyester, 13~gg, smooth~finish, Cat.~II, breathable~back, oil~and~support and support support and support support and supportgrease resistant palm, for precision work

LINER MATERIAL Polyester, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Black SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm

PAIRS PER PACKAGE/CARTON 6/120 DISPLAY Bag ${\sf FEATURES}\, \textbf{Water}\, \textbf{and}\, \textbf{oil}\, \textbf{repellent}\, \textbf{palm}$ PROPERTIES Flexible, durable, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments











Synthetic glove, PU, half-dipped, polyester, 13 gg, smooth finish, Cat. II, water and oil repellent palm, for fine assembly work

LINER MATERIAL Polyester, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish ${\sf COLOUR}\,{\sf White}$ SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 220 - 260mm PAIRS PER PACKAGE/CARTON 6/120 DISPLAY Bag FEATURES Water and oil repellent palm PROPERTIES Flexible, breathable, light PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments













TEGERA® 868

Synthetic glove, PU, half-dipped, polyester, 13~gg, smooth~finish, Cat.~II, water~and~oil~repellentpalm, for fine assembly work

LINER MATERIAL Polyester, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 260mm

PAIRS PER PACKAGE/CARTON 6/120 DISPLAY Bag ${\sf FEATURES}\, \textbf{Water and oil repellent palm}$ PROPERTIES Flexible, comfortable, breathable, PRIMARY ENVIRONMENTS OF USE Oil and

greasy environments, dirty environments











TEGERA® 880

Synthetic glove, vinyl, half-dipped, nylon, 13~gg, sandy~finish, Cat.~II, oil~and~grease~resistantpalm, for fine assembly work

LINER MATERIAL Nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL Vinyl ${\sf GRIP\,PATTERN\,Sandy\,finish}$ COLOUR Black, grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 230 - 260mm PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ {\sf Breathable}\ {\sf back}, {\sf oil}\ {\sf and}\ {\sf grease}$ resistant palm ${\tt PROPERTIES} \ {\tt Flexible}, \ {\tt durable}, \ {\tt good} \ {\tt grip}, \ {\tt good}$ fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments











Textile glove, double-stitched fingers and thumb, nylon, 13 gg, Cat. II, reinforced fingers and thumb, soft, for assembly work

 ${\sf LINER\,MATERIAL\,Double\text{-}stitched\,fingers\,and}$ thumb, nylon, 13 gg COLOUR White SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 195-240 mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag $\label{thm:permission} \textit{FEATURES} \ \textbf{Reinforced fingers and thumb, thin}$ ${\sf PROPERTIES} \ {\sf Extremely} \ {\sf good} \ {\sf fingertip}$ sensitivity, flexible, durable, comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments













TEGERA® 312

Textile glove, nylon, Cat. II, for assembly work

LINER MATERIAL Nylon COLOUR White SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 200-220-260 PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag

FEATURES Soft, elastic ${\sf PROPERTIES}\, \textbf{Extremely good fingertip}$ sensitivity, extra flexible, very durable, excellent fit, extra comfortable, breathable, extremely PRIMARY ENVIRONMENTS OF USE Dry

environments, clean environments, warm environments, moist environments













TEGERA® 921

Textile glove, cotton, PVC-dots phthalate-free, 15 gg, dots, Cat. II, phthalate-free, for assembly

LINER MATERIAL Cotton, PVC-dots phthalatefree, 15 gg GRIP PATTERN Dots FASTENING Elasticated 360° COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-270 mm PAIRS PER PACKAGE/CARTON 12/120

 ${\sf FEATURES}\ {\sf Breathable}\ {\sf back, reinforced}\ {\sf palm,}$

 ${\sf PROPERTIES}\, \textbf{Extremely good fingertip}$ sensitivity, extra flexible, good grip, excellent fit, comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, warm environments











Textile glove, cotton, PVC-dots phthalate-free, cotton, Cat. I, phthalate-free, for assembly work

PALM MATERIAL Cotton, PVC-dots phthalate-

BACK MATERIAL Cotton FASTENING Elasticated 180°

COLOUR White SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 205-265 PAIRS PER PACKAGE/CARTON 12/300

DISPLAY Bag

 ${\sf FEATURES}\, {\sf Soft, thin}$

PROPERTIES Good fingertip sensitivity, flexible,

comfortable, breathable, light

PRIMARY ENVIRONMENTS OF USE Dry

environments, clean environments









TEGERA® 8120

Textile glove, cotton, cotton, Cat. I, for assembly work

PALM MATERIAL Cotton BACK MATERIAL Cotton FASTENING Elasticated 180° COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-270

PAIRS PER PACKAGE/CARTON 12/300 ${\sf FEATURES} \ {\sf Specially} \ {\sf designed} \ {\sf thumb, chain}$ PROPERTIES Good fingertip sensitivity, flexible, good grip, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





TEGERA® 919

Textile glove, cotton, polyester, 15 gg, Cat. II, soft, for assembly work

LINER MATERIAL Cotton, polyester, 15 gg FASTENING Elasticated 360° COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 240-290

PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ {\sf Soft}, \ {\sf elastic}, \ {\sf thin}$ ${\tt PROPERTIES}\,Good\,finger tip\,sensitivity,\,extra$ flexible, good fit, comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments











Textile glove, double knitted, cotton, nylon, 13 gg, Cat. II, for assembly work

LINER MATERIAL Double knitted, cotton, nylon, 13 gg COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 215-260 mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag FEATURES Soft PROPERTIES High level of protection, good fingertip sensitivity, flexible, very durable, excellent fit, extra comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments











TEGERA® 931

Textile glove, PVC-dots phthalate-free, nylon, 13 gg, dots, Cat. II, phthalate-free, for assembly work

LINER MATERIAL Nylon, 13 gg ${\sf MATERIAL\ PVC\text{-}dots\ phthalate\text{-}free}$ GRIP PATTERN Dots FASTENING Elasticated 360° COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-270

PAIRS PER PACKAGE/CARTON 12/120 FEATURES Phthalate-free, washable in 40° C $\,$ ${\sf PROPERTIES} \ {\sf Extremely} \ {\sf good} \ {\sf fingertip}$ sensitivity, flexible, durable, good grip, good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments













TEGERA® 8125

$Textile\ glove, cotton, PVC\text{-}dots\ phthalate\text{-}free, cotton, Cat.\ I, for\ assembly\ work$

PALM MATERIAL Cotton, PVC-dots phthalate-BACK MATERIAL Cotton FASTENING Elasticated 180° COLOUR Black SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 220-270 PAIRS PER PACKAGE/CARTON 12/300 ${\sf FEATURES}\ \textbf{Chain stitch, soft}$ ${\tt PROPERTIES} \, \textbf{Good fingertip sensitivity, flexible,}$ good grip, good fit, breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





C Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)







$Textile\ glove, cotton, PVC\text{-}dots\ phthalate\text{-}free, cotton, Cat.\ I, for\ assembly\ work$

PALM MATERIAL Cotton, PVC-dots phthalate-

 ${\sf BACK\,MATERIAL\,Cotton}$ FASTENING Elasticated 180°

COLOUR White

LENGTH RANGE 220-270 mm

SIZE RANGE 6, 7, 8, 9, 10, 11

PAIRS PER PACKAGE/CARTON 12/300

FEATURES Chain stitch, soft

PROPERTIES Good fingertip sensitivity, flexible, good grip, good fit, comfortable, breathable,

PRIMARY ENVIRONMENTS OF USE Dry

environments, clean environments









TEGERA® 8128

$Textile\ glove,\ cotton,\ PVC\text{-}dots\ phthalate\text{-}free,\ spandex,\ Cat.\ I,\ for\ assembly\ work$

PALM MATERIAL Cotton, PVC-dots phthalate-

 ${\sf BACK\,MATERIAL\,Spandex}$

FASTENING Elasticated 180°

COLOUR Grey, white

SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 220-270 mm

PAIRS PER PACKAGE/CARTON 12/300

FEATURES Chain stitch, soft

PROPERTIES Good fingertip sensitivity, flexible,

PRIMARY ENVIRONMENTS OF USE Dry

environments, clean environments





Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)



TEGERA®

ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

TEGERA® 9123

Synthetic leather glove, unlined, 0,7 mm, Microthan®+, polyester, Cat. II, reinforced seams, chrome free, for assembly work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 360° COLOUR Yellow, black SIZE RANGE 7 8 9 10 11 LENGTH RANGE 200-235 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES For touch screen, chrome free, highviz colour, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, moist environments, oil and greasy environments, dirty environments, slippery environments



















TEGERA® 9124

Synthetic leather glove, unlined, 0,7 mm, Microthan®+, polyester, Cat. II, reinforced seams, chrome free, for assembly work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 360° COLOUR Grey, black, yellow SIZE RANGE 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 195-235 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, padded palm, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, specially designed details PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, oil and greasy environments, dirty environments, slippery environments







EN 388 2011









Synthetic leather glove, unlined, 0,8 mm, Macrothan®+, Microthan®+, neoprene, polyester, Cat. II, reinforced index finger, chrome free, for allround work

PALM MATERIAL Macrothan®+, Microthan®+ BACK MATERIAL Neoprene, polyester LINING Unlined FASTENING Elasticated 360° COLOUR Black, grey, yellow SIZE RANGE 8. 9. 10. 11. 12 LENGTH RANGE 225-260 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, reinforced fingers and thumb, padded palm, pre-curved fingers, specially designed thumb, knuckle protection, ergonomically shaped, specially designed details PROPERTIES Flexible, very durable, good grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, dirty environments











MicroThan®+

MacroThanº+



TEGERA® 9120

Synthetic leather glove, unlined, 0,7 mm, Microthan®+, nylon, Cat. II, reinforced seams, chrome free, for assembly work

PALM MATERIAL Microthan®+ BACK MATERIAL Nylon LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 198-243 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, precurved fingers, specially designed thumb, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra

PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, clean environments, moist environments, oil and greasy environments, dirty environments, slippery environments



MicroThan°+











TEGERA® 9196

Synthetic leather glove, unlined, 0,7 mm, Microthan®+, polyester, Cat. II, wrist support, chrome free, for assembly work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester THICKNESS 0.7 mm LINING Unlined FASTENING Velcro® COLOUR Grey, black, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 230-265 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Wrist-supporting, extra long, chrome free, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, ergonomically shaped, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra

PRIMARY ENVIRONMENTS OF USE Dry environments, moist environments, oil and greasy environments, dirty environments, slippery environments



MicroThan9+









Synthetic leather glove, unlined, 0,8 mm, Macrothan®, polyester, Cat. II, chrome free, breathable, for allround work

PALM MATERIAL Macrothan® BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 360° COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 200-240 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, reinforced fingers and thumb, padded palm, pre-curved fingers, specially designed thumb, knuckle protection, ergonomically shaped, reflector, soft, specially designed

PROPERTIES Flexible, durable, excellent fit, extra comfortable, very breathable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, dirty environments

















TEGERA® 9295

Synthetic leather glove, unlined, 0,8 mm, Macrothan®, polyester, Cat. II, wrist support, chrome free, for allround work

PALM MATERIAL Macrothan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 8 9 10 11 LENGTH RANGE 236-277 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Wrist-supporting, extra long, chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, reinforced fingers and thumb, padded palm, pre-curved fingers, specially designed thumb, knuckle protection, ergonomically shaped, reflector, soft, specially designed details PROPERTIES Durable, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments













TEGERA® 9200

Synthetic leather glove, unlined, 0,8 mm, Macrothan®, polyester, Cat. II, chrome free, breathable, for allround work

environments

PALM MATERIAL Macrothan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 215-255 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, ergonomically shaped, reflector, specially designed details PROPERTIES Flexible, durable, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, dirty







EN 388 2242









Synthetic leather glove, unlined, 0,8 mm, Macrothan®+, neoprene, polyester, Cat. II, reinforced fingertips, chrome free, for assembly work

PALM MATERIAL Macrothan®+ BACK MATERIAL Neoprene, polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 205-245 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, ergonomically shaped, soft, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, durable, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, dirty environments



MacroThan°+











TEGERA® 9125

Synthetic leather glove, half-lined, 0,7 mm, Microthan®+, polyester, tricot, Cat. II, reinforced seams, chrome free, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Half-lined LINING MATERIAL Tricot FASTENING Elasticated 360° COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 223-253 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, knuckle protection, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, clean environments, dirty environments



MicroThanº+











TEGERA® 9161

 $Synthetic \ leather \ glove, half-lined, 0.7 \ mm, Microthan ^e+, polyester, bamboo, Cat. \ II, reinforced$ seams, chrome free, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Half-lined LINING MATERIAL Bamboo FASTENING Elasticated 360° COLOUR Black, silver SIZE RANGE 8, 9, 10, 11, 12 LENGTH RANGE 225-265 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, specially designed thumb, windproof back, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, moist environments, oil and greasy environments, dirty environments, slippery environments



MicroThanº+













Synthetic leather glove, half-lined, 0,7 mm, Microthan®+, cotton, flannel, Cat. II, reinforced seams, chrome free, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Cotton LINING Half-lined LINING MATERIAL Flannel FASTENING Elasticated 180° COLOUR Black, grey, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 227-265 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, ergonomically shaped, reflector, specially designed details ${\tt PROPERTIES} \ {\tt Good} \ {\tt fingertip} \ {\tt sensitivity}, \ {\tt flexible},$ very durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, clean environments, moist environments, oil and greasy environments, dirty environments, slippery environments

















TEGERA® 414

Synthetic leather glove, unlined, 0,7 mm, synthetic leather, polyester, Cat. II, chrome free, for allround work

 ${\sf PALM\,MATERIAL\,Synthetic\,leather}$ BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 360° COLOUR Grey, black, blue SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 250-270 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\bf Chrome}\ {\sf free}, {\sf breathable}\ {\sf back},$ elastic PROPERTIES Flexible, durable, good grip, good fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Dry environments, dirty environments









TEGERA®

TEGERA® 955

Synthetic glove, nitril coated fabric, smooth finish, cotton, Cat. II, water and oil repellent palm, for allround work

PALM MATERIAL Nitril coated fabric BACK MATERIAL Cotton GRIP PATTERN Smooth finish COLOUR Red, beige SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 260mm

PAIRS PER PACKAGE/CARTON 12/120 FEATURES Breathable back, water and oil repellent palm PROPERTIES Durable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and

greasy environments, dirty environments







EN 388 3111





Painting glove, nylon, polyurethane, Cat. II, for allround work

PALM MATERIAL Nylon, polyurethane SIZE RANGE 8, 9, 10 LENGTH RANGE 320 - 360mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag PROPERTIES Flexible











TEGERA® 294

 $Leather glove, unlined, 0, 7-0, 8\,mm, full grain goatskin, polyester, polypropylene, Cat.\,II, wind$ and waterproof back, water repellent leather, for all round work

PALM MATERIAL Full grain goatskin BACK MATERIAL Polyester, polypropylene LINING Unlined FASTENING Elasticated 180° COLOUR Black, white SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 255-280 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag ${\sf FEATURES}\ \textbf{Reinforced fingertips, wind and}$ waterproof back, water repellent leather PROPERTIES High level of protection, good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Windy environments, outdoors, moist environments, dirty environments















TEGERA® 671

Leather glove, unlined, 0,7-0,8 mm, full grain goatskin, cotton, Cat. II, reinforced index finger, reinforced fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° ${\sf COLOUR}\, \textbf{Grey, white}$ SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 210-260 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingers and thumb ${\sf PROPERTIES}\, \textbf{High level of protection, good}$ $fingertip\ sensitivity,\ durable,\ good\ fit$













Leather glove, unlined, 0,7-0,8 mm, full grain goatskin, full grain goatskin, Cat. II, reinforced index finger, reinforced seams, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Full grain goatskin LINING Unlined FASTENING Elasticated 180° ${\sf COLOUR}\,{\sf White}$ SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230-260 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$

PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit ${\sf PRIMARY}\, {\sf ENVIRONMENTS}\, {\sf OF}\, {\sf USE}\, {\sf Harsh}$ environments











TEGERA® 672

 $Leather glove, unlined, 0, 7-0, 8 \, mm, full \, grain \, goatskin, cotton, Cat. \, II, \, reinforced \, index \, finger, \, cotton, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, Cat. \, III, \, reinforced \, index \, finger, \, cotton, \, cott$ reinforced fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220-240 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingers and thumb PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Dry environments









TEGERA®

TEGERA® 12

 $Leather glove, 0, 6-0, 7\,mm, full grain goatskin, cotton, Cat. \,II, reinforced fingertips, for assembly and the control of t$

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton FASTENING Elasticated 180° COLOUR Blue, black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 225-270 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread FEATURES Reinforced fingertips ${\tt PROPERTIES}\, \textbf{Good}\, \textbf{fingertip}\, \textbf{sensitivity}, \textbf{flexible},$ durable, good fit PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, dirty environments









 $Leather glove, unlined, 0, 6-0, 7\,mm, full grain goatskin, cotton, Cat.\,II, reinforced index finger, and the control of the$ reinforced fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Velcro® COLOUR Blue, black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 235-270 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingertips, reinforced thumb PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip,

good fit, comfortable











TEGERA® 6751

Leather glove, unlined, 0,7-0,8 mm, full grain goatskin, cotton, Cat. II, reinforced index finger, reinforced fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 230-290 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES}\ Reinforced\ index\ finger, reinforced$ fingers and thumb PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Harsh environments











TEGERA® 14

 $Leather\ glove, 0, 6-0, 7\ mm, full\ grain\ goatskin, cotton, Cat.\ II, reinforced\ index\ finger, reinforced$ fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton COLOUR Blue, black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 265-295 mm PAIRS PER PACKAGE/CARTON 12/120 FEATURES Reinforced index finger, reinforced fingers and thumb

PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments











 $Leather glove, unlined, 0, 6-0, 7\,mm, full grain goatskin, cotton, Cat. \,II, reinforced \,thumb, chrome$ free, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Grey, yellow SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 230-270 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread FEATURES Chrome free, reinforced thumb PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit













TEGERA® 680

Leather glove, unlined, 0,7-0,9 mm, full grain goatskin, cotton, Cat. II, reinforced index finger, reinforced fingers and thumb, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 245-280 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingers and thumb PROPERTIES High level of protection PRIMARY ENVIRONMENTS OF USE Harsh environments











TEGERA® 690

 $Leather glove, unlined, 0, 7-0, 9\,mm, full grain goatskin, polyester, Cat.\,II, reinforced fingers and$ thumb, water repellent leather, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 180° COLOUR Black, green SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 260-280 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES}\ {\sf Reinforced}\ {\sf index}\ {\sf finger}, {\sf reinforced}$ fingers and thumb, water repellent leather PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Moist environments













Leather glove, unlined, 0,7-0,8 mm, full grain goatskin, cotton, Cat. II, reinforced index finger, reinforced fingers and thumb, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 255-285 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingers and thumb, reflector PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Dry environments











TEGERA® 888

Leather glove, unlined, 0,7-0,8 mm, full grain cowhide, cotton, Cat. II, reinforced index finger, reinforced fingers and thumb, for allround work

 ${\sf PALM\,MATERIAL\,Full\,grain\,cowhide}$ BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 360° COLOUR Grey, blue, black, white SIZE RANGE 6, 7, 8, 9, 10, 11, 12 LENGTH RANGE 225-280 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf FEATURES}\ {\bf Reinforced}\ {\bf index}\ {\bf finger}, {\bf reinforced}$ fingers and thumb ${\tt PROPERTIES\, High\, level\, of\, protection, good}$ fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Harsh environments











TEGERA® 52

 $Leather\ glove, unlined, 0,7-0,8\ mm, split\ grain\ cowhide, cotton, Cat.\ II, for\ assembly\ work$

PALM MATERIAL Split grain cowhide BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 180° COLOUR Grey, white

SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220-250 mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread ${\sf PROPERTIES}\, \textbf{High level of protection, good}$ fingertip sensitivity, durable, good fit













Leather glove, unlined, 1,0-1,2 mm, full grain pigskin, cotton, full grain pigskin, Cat. II, reinforced index finger, reinforced thumb

PALM MATERIAL Full grain pigskin BACK MATERIAL Cotton, full grain pigskin LINING Unlined FASTENING Elasticated 180° COLOUR White, beige SIZE RANGE 8, 10, 11

LENGTH RANGE 240-260 mm PAIRS PER PACKAGE/CARTON 6/120 DISPLAY Thread ${\sf FEATURES}\ \textbf{Reinforced fingertips, reinforced}$ PROPERTIES High level of protection, durable











TEGERA® 246

Leather glove, half-lined, 0,7-0,8 mm, full grain goatskin, spandex, fleece, Cat. II, reinforced index finger, reinforced fingertips, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Spandex LINING Half-lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Blue, black, white SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 220-260 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingertips, pre-curved fingers PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE All-year use, harsh environments











TEGERA® 290

Leather glove, half-lined, 0,8-0,9 mm, full grain goatskin of top quality, polyester, polypropylene, $bamboo, fleece, Cat. \, II, wind and \, waterproof \, back, \, water \, repellent \, leather, \, for \, all \, round \, work \,$

PALM MATERIAL Full grain goatskin of top ${\sf BACK\ MATERIAL\ Polyester,\ polypropylene}$ LINING Half-lined LINING MATERIAL Bamboo, fleece FASTENING Elasticated 180° COLOUR Green high-viz SIZE RANGE 9, 10, 11, 12 PAIRS PER PACKAGE/CARTON 6/60

 ${\sf DISPLAY\, Hook\, with\, hangtag}$ FEATURES High-viz colour, reinforced fingers and thumb, water repellent palm, wind and $water proof\,back$ PROPERTIES High level of protection, good fingertip sensitivity, flexible, very durable, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Windy environments, all-year use, moist environments, harsh environments

















Leather glove, half-lined, 0,9-1,1 mm, full grain pigskin, cotton, full grain pigskin, jersey, Cat. II, reinforced fingertips, reinforced thumb, for allround work

PALM MATERIAL Full grain pigskin BACK MATERIAL Cotton, full grain pigskin LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR White, beige SIZE RANGE 8, 9, 10, 11

LENGTH RANGE 240-270 mm PAIRS PER PACKAGE/CARTON 6/120 DISPLAY Thread FEATURES Reinforced fingertips, reinforced ${\sf PROPERTIES}\, \textbf{High level of protection}$ PRIMARY ENVIRONMENTS OF USE All-year













TEGERA® 722

Synthetic glove, nitrile, 3/4 dipped, polyester, 13 gg, smooth finish, Cat. II, water and oil repellent, for assembly work

LINER MATERIAL Polyester, 13 gg DIPPING 3/4 dipped DIPPING MATERIAL Nitrile GRIP PATTERN Smooth finish COLOUR White, yellow SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES\,Water\,and\,oil\,repellent}$ PROPERTIES Flexible, good fit, light PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments









TEGERA®

TEGERA® 2207

 $Synthetic glove, nitrile, smooth finish, Cat. II, oil and grease \ resistant, for all round \ work$

DIPPING MATERIAL Nitrile GRIP PATTERN Smooth finish COLOUR Blue, beige SIZE RANGE 8, 9, 10 LENGTH RANGE 240 - 280mm PAIRS PER PACKAGE/CARTON 12/72 FEATURES Oil and grease resistant palm PROPERTIES Durable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments













Synthetic glove, nitrile, 3/4 dipped, interlock, 24 gg, smooth finish, Cat. II, water and oil repellent, soft, for assembly work

LINER MATERIAL Interlock, 24 gg DIPPING 3/4 dipped DIPPING MATERIAL Nitrile GRIP PATTERN Smooth finish COLOUR Blue, white SIZE RANGE **7**, **8**, **9**, **10**, **11** LENGTH RANGE 230 - 280mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Water and oil repellent PROPERTIES Flexible, light PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments













TEGERA® 2805

Synthetic glove, nitrile, fully dipped, cotton, smooth finish, Cat. II, oil and grease resistant, for allround work

LINER MATERIAL Cotton DIPPING Fully dipped DIPPING MATERIAL Nitrile GRIP PATTERN Smooth finish COLOUR Blue SIZE RANGE 8, 10

LENGTH RANGE 240 - 270mm PAIRS PER PACKAGE/CARTON 12/72 PROPERTIES Durable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments











TEGERA® 747

Synthetic glove, nitrile, fully dipped, smooth finish, Cat. II, water and oil repellent, for assembly work

DIPPING Fully dipped DIPPING MATERIAL Nitrile GRIP PATTERN Smooth finish COLOUR Blue, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 235 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag ${\sf FEATURES\,Water\,and\,oil\,repellent}$ PROPERTIES Flexible PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments











Synthetic glove, latex, half-dipped, nylon, 13 gg, granulated, Cat. II, breathable back, waterproof palm, for allround work

LINER MATERIAL Nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL Latex GRIP PATTERN Granulated FASTENING Velcro® COLOUR Black, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Breathable back ${\tt PROPERTIES} \ {\tt Flexible}, \ {\tt durable}, \ {\tt good} \ {\tt grip}, \ {\tt good}$ fit, comfortable, breathable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments, slippery environments











TEGERA® 618

 $Synthetic glove, latex foam, 3/4 \ dipped, nylon, foam grip pattern, Cat. \ II, high-viz colour, water$ repellent, for allround work

LINER MATERIAL Nylon DIPPING 3/4 dipped DIPPING MATERIAL Latex foam ${\sf GRIP\,PATTERN\,Foam\,grip\,pattern}$ ${\sf COLOUR}~{\sf Green}~{\sf high-viz}, {\sf black}$ SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 270mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES High-viz colour, soft PROPERTIES Flexible, good grip, good fit, light PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments, slippery environments









TEGERA®

TEGERA® 614

 $Synthetic glove, latex, half-dipped, cotton, polyester, 10 gg, granulated, Cat. \, II, breathable back, \\$ waterproof palm, anatomically designed, for allround work

LINER MATERIAL Cotton, polyester, 10 gg DIPPING Half-dipped DIPPING MATERIAL Latex GRIP PATTERN Granulated COLOUR Blue, grey SIZE RANGE 8, 10 LENGTH RANGE 230 - 290mm

PAIRS PER PACKAGE/CARTON 12/120 ${\sf DISPLAY}\, {\sf Hook}\, {\sf with}\, {\sf hangtag}$ ${\sf FEATURES}\ {\sf Breathable}\ {\sf back, waterproof}\ {\sf palm}$ PROPERTIES Flexible, durable, good grip PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments











Synthetic glove, PVC, fully dipped, jersey, granulated, Cat. II, water and oil repellent, for allround

LINER MATERIAL Jersey DIPPING Fully dipped DIPPING MATERIAL PVC GRIP PATTERN Granulated COLOUR Black SIZE RANGE 10 LENGTH RANGE 270mm

PAIRS PER PACKAGE/CARTON 6/60 FEATURES Water and oil repellent, moisture resistant, anatomically designed ${\sf PROPERTIES}\, {\sf Durable}, {\sf good}\, {\sf grip}$ PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments











TEGERA® 2170

Textile glove, unlined, cotton, cotton, Cat. I, soft, for allround work

PALM MATERIAL Cotton BACK MATERIAL Cotton LINING Unlined FASTENING Elasticated 360° COLOUR Beige

SIZE RANGE 8, 10, 12 PAIRS PER PACKAGE/CARTON 12/300 ${\sf FEATURES}\ \textbf{Chain stitch, unbleached cotton}$ PROPERTIES Light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)



TEGERA®

TEGERA® 915

Textile glove, cotton, cotton, Cat. I, for allround work

PALM MATERIAL Cotton BACK MATERIAL Cotton COLOUR Beige SIZE RANGE 8, 10 LENGTH RANGE 200-230 PAIRS PER PACKAGE/CARTON 12/600 ${\sf FEATURES}\ {\bf Unbleached}\ {\bf cotton}, {\bf soft}$ PROPERTIES Flexible PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





C Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





Textile glove, cotton, cotton, Cat. I, for allround work

PALM MATERIAL Cotton BACK MATERIAL Cotton COLOUR Beige SIZE RANGE 8, 10

PAIRS PER PACKAGE/CARTON 12/600 FEATURES Unbleached cotton, soft PROPERTIES Light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





TEGERA® 912

Textile glove, jersey, cotton, jersey, Cat. I, for allround work

PALM MATERIAL Jersey, cotton BACK MATERIAL Jersey FASTENING Elasticated 360° COLOUR Black, grey SIZE RANGE 10

PAIRS PER PACKAGE/CARTON 12/120 ${\sf FEATURES}\ \textbf{Chain stitch, soft}$ PROPERTIES Flexible PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments







TEGERA®

TEGERA® 767

Textile glove, unlined, jersey, cotton, jersey, Cat. I, soft, for allround work

PALM MATERIAL Jersey, cotton BACK MATERIAL Jersey LINING Unlined FASTENING Elasticated 360° COLOUR Blue

SIZE RANGE 8, 10 PAIRS PER PACKAGE/CARTON 12/120 FEATURES Chain stitch, soft PROPERTIES Good fit PRIMARY ENVIRONMENTS OF USE Dry environments





C Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





Textile glove, cotton, cotton, Cat. I, for allround work

PALM MATERIAL Cotton BACK MATERIAL Cotton COLOUR Beige SIZE RANGE 8, 10

PAIRS PER PACKAGE/CARTON 12/300 FEATURES Chain stitch PRIMARY ENVIRONMENTS OF USE Dry $environments, clean\ environments$





EN 420 + A1

Council Directive 89/686/EEC (PPE Directive)





TEGERA® 922

Textile glove, cotton, Lycra®, polyester, Cat. I, for allround work

LINER MATERIAL Cotton, Lycra®, polyester FASTENING Elasticated 360° COLOUR White SIZE RANGE 8, 10 PAIRS PER PACKAGE/CARTON 12/300

DISPLAY Bag $\mathsf{FEATURES}\,\mathsf{Soft}$ ${\tt PROPERTIES}\, \textbf{Good}\, \textbf{fingertip}\, \textbf{sensitivity}, \textbf{flexible},$ comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)



DISPLAY Bag



TEGERA® 4630

$Textile\ glove, cotton, polyester, dots, Cat.\ I, phthalate-free, soft, for\ all round\ work$

LINER MATERIAL Cotton, polyester GRIP PATTERN Dots FASTENING Elasticated 360° COLOUR White SIZE RANGE 8, 10 LENGTH RANGE 64-71 mm PAIRS PER PACKAGE/CARTON 12/300

FEATURES Phthalate-free, unbleached cotton, ${\tt PROPERTIES} \ {\tt Flexible}, good \ grip, comfortable,$ breathable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments





C Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





Textile glove, cotton, nylon, PVC-dots, dots, cotton, polyester, Cat. I, reinforced index- and little finger, for allround work

PALM MATERIAL Cotton, nylon, PVC-dots BACK MATERIAL Cotton, polyester GRIP PATTERN Dots FASTENING Elasticated 360° COLOUR Beige, black SIZE RANGE 8, 10 LENGTH RANGE 106-116

PAIRS PER PACKAGE/CARTON 12/300 DISPLAY Bag FEATURES Phthalate-free, reinforced indexand little finger, reinforced palm, chain stitch, unbleached cotton, soft, washable in 40° C PROPERTIES Flexible, very breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments









TEGERA® 3140

Textile glove, nylon, nylon, Cat. I, soft, for allround work

PALM MATERIAL Nylon BACK MATERIAL Nylon COLOUR White SIZE RANGE 7, 10

PAIRS PER PACKAGE/CARTON 12/300 PROPERTIES Flexible PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments







TEGERA®

TEGERA® 630

Textile glove, PVC-dots phthalate-free, nylon, 13 gg, dots, Cat. II, for allround work

PALM MATERIAL PVC-dots phthalate-free LINER MATERIAL Nylon, 13 gg GRIP PATTERN Dots COLOUR White, blue SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 200-260 mm PAIRS PER PACKAGE/CARTON 12/144

DISPLAY Hook with hangtag ${\sf FEATURES\ Phthalate-free,\ soft,\ washable\ in}$

PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments









 $Textile\ glove, PVC, phthalate-free, acrylic, polyester, dots, Cat.\ II, for\ all round\ work$

LINER MATERIAL Acrylic, polyester ${\sf MATERIAL\ PVC, phthalate-free}$ GRIP PATTERN Dots FASTENING Elasticated 360° COLOUR Green SIZE RANGE 8, 10 LENGTH RANGE 240-260

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag ${\sf FEATURES\, Phthalate-free, soft}$ PROPERTIES Warm, light PRIMARY ENVIRONMENTS OF USE Cold environments















HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.

TEGERA® 363

Leather glove, unlined, 1,2-1,4 mm, full grain cowhide of top quality, cotton, Cat. II, reinforced fingers and thumb, chrome free, for allround work

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Cotton

LINING Unlined

FASTENING Elasticated 180°

 ${\sf COLOUR}\, \textbf{Grey, yellow}$

SIZE RANGE 8, 9, 10, 11

LENGTH RANGE 240-275 mm

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Chrome free, reinforced index finger, reinforced fingers and thumb

PROPERTIES High level of protection, very

PRIMARY ENVIRONMENTS OF USE Harsh

environments













TEGERA® 55

Leather glove, half-lined, 1, 2-1, 4mm, full grain cowhide of top quality, cotton, full grain oxhide of the property of thetop quality, jersey, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Full grain cowhide of top

BACK MATERIAL Cotton, full grain oxhide of top quality

LINING Half-lined

LINING MATERIAL Jersey

FASTENING Elasticated 180°

COLOUR Grey, white

SIZE RANGE 8, 9, 10, 11

LENGTH RANGE 250-280 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

 ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingers and thumb

 ${\tt PROPERTIES\, High\, level\, of\, protection, good}$ fingertip sensitivity, flexible, very durable, good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Harsh











Leather glove, half-lined, 1,2-1,4 mm, full grain cowhide, cotton, full grain cowhide, jersey, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Full grain cowhide BACK MATERIAL Cotton, full grain cowhide LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Black, beige SIZE RANGE 8, 9, 10, 11

LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ Reinforced\ index\ finger, reinforced$ fingers and thumb PROPERTIES Durable PRIMARY ENVIRONMENTS OF USE Dirty environments, harsh environments











TEGERA® 106

Leather glove, half-lined, 1,2-1,4 mm, full grain cowhide, cotton, full grain cowhide, jersey, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work $% \left\{ 1,2,\ldots ,n\right\}$

PALM MATERIAL Full grain cowhide ${\sf BACK\,MATERIAL\,Cotton,\,full\,grain\,cowhide}$ LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Blue, yellow SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220-270 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread FEATURES Reinforced index finger, reinforced fingers and thumb PROPERTIES Durable PRIMARY ENVIRONMENTS OF USE Dirty environments, harsh environments



CE Cat. II





TEGERA®

TEGERA® 198

 $Leather\ glove, half-lined, 1,0-1,2\ mm, full\ grain\ cowhide, nylon, jersey, Cat.\ II,\ high-viz\ colour,$ reflector, for heavy work

PALM MATERIAL Full grain cowhide BACK MATERIAL Nylon LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° ${\hbox{\tt COLOUR}}\, \hbox{\tt Green high-viz, white}$ SIZE RANGE 8, 10

LENGTH RANGE 240-260 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread FEATURES High-viz colour, reinforced index finger, reinforced fingers and thumb, reflector ${\sf PROPERTIES}\, \textbf{High level of protection, durable}$ PRIMARY ENVIRONMENTS OF USE Dark environments, all-year use











Leather glove, half-lined, 1,2-1,4 mm, split grain cowhide, cotton, split grain cowhide, jersey, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Split grain cowhide ${\sf BACK\ MATERIAL\ Cotton,\ split\ grain\ cowhide}$ LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Yellow, grey SIZE RANGE 8, 9, 10, 11

LENGTH RANGE 240-270 mm PAIRS PER PACKAGE/CARTON 6/60 ${\sf FEATURES}\ \textbf{Reinforced}\ \textbf{index}\ \textbf{finger}, \textbf{reinforced}$ fingers and thumb PROPERTIES High level of protection PRIMARY ENVIRONMENTS OF USE Harsh environments













TEGERA® 50

 $Leather \ glove, half-lined, 1, 2-1, 4\ mm, full\ grain\ oxhide\ of\ top\ quality, split\ grain\ oxhide\ of\ top$ quality, jersey, Cat. II, reflector, for heavy work

PALM MATERIAL Full grain oxhide of top quality ${\sf BACK\,MATERIAL\,Split\,grain\,oxhide\,of\,top}$

LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 11

LENGTH RANGE 275

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Reflector

PROPERTIES High level of protection, very

PRIMARY ENVIRONMENTS OF USE Warm environments, dirty environments, harsh environments









413X4X



TEGERA®

TEGERA® 51

Leather glove, half-lined, 1,2-1,4 mm, full grain oxhide of top quality, cotton, split grain oxhide of top quality, jersey, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Full grain oxhide of top quality BACK MATERIAL Cotton, split grain oxhide of

top quality LINING Half-lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 9, 10, 11

LENGTH RANGE 250-280 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Reinforced index finger, reinforced fingers and thumb, reflector

 ${\sf PROPERTIES}\, \textbf{Highest level of protection, very}$ durable, good fit

PRIMARY ENVIRONMENTS OF USE Harsh environments













CUT-RESISTANT GLOVES

We mainly use three materials for our effective cut-resistant models: KEVLAR® fibre, Dyneema® and CRF®. We combine these incredibly tough fibres with synthetic materials such as nylon and Lycra® so that the gloves not only give protection against cuts but also provide flexibility, a good grip and fingertip sensitivity. Cut-resistant gloves are graded on a scale of 3-5, where 5 denotes the highest level of protection.



Avoid cuts

Arriving at a solution whereby gloves are a close fit while at the same time protecting the hands against sharp metal edges and knife blades has always been a challenge. Over the years, such gloves have been refined and improved, and new materials have been developed. We have devoted many years to developing and refining materials that provide good protection against cuts while at the same time ensuring that the gloves are flexible and comfortable to wear. We have adapted our approach to meet the requirements of modern industry as regards production capacity, and we are constantly striving to achieve the best possible results in terms of fine motor ability and grip.

Cut-resistant gloves are graded on a scale of 3-5, where 5 denotes the highest level of protection. In recent years, we have made strenuous efforts to develop new cut-resistant materials and as a result have come up with solutions that perform even better than protection level 5.

WE USE VERY STRONG FIBRES

DYNEEMA®

Enables the production of thin, flexible and tough gloves with extremely good cut protection.

DYNEEMA® DIAMOND TECHNOLOGY - THE NEW GENERATION OF CUT RESISTANT FIBRES

Perfect in tough environments where the release of any glove fibres at all is strictly prohibited, such as the vehicle industry.

KEVLAR® FIBRE (COMBINES HEAT RESISTANCE AND CUT PROTECTION)

KEVLAR® fiber is a cut-resistant fibre that we use in several different gloves. The material is heat-resistant, and can be exposed to high temperatures for long periods without suffering damage.

CRF®

Our CRF (Cut Resistant Fibre) technology is designed to provide exceptional dexterity, which is unusual in high-performance cut protection gloves.









Cut resistant glove, aqua PU, PU, fingertip dipped, half-dipped, Dyneema® Diamond Technology, Lycra®, nylon, 13 gg, smooth finish, cut resistance level 5, Cat. II, extra long, reinforced fingertips, breathable back, water and oil repellent palm, steel-fibre free, fibreglass-free, for fine assembly work

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, nylon, 13 gg DIPPING Fingertip dipped, half-dipped DIPPING MATERIAL Aqua PU, PU $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Smooth}\,\mathsf{finish}$ COLOUR Black, grey, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag with euro slot

FEATURES Cut resistant according to $\ensuremath{\mathsf{EN}}$ 388 level 5 (5), extra long, breathable back, reinforced fingertips, pre-curved fingers, water and oil repellent palm, anatomically designed, steel-fibre free, fibreglass-free PROPERTIES High level of protection, very durable, very breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk environments, oil and greasy environments, dirty environments, slippery environments, harsh environments















TEGERA® 981

Cut resistant glove, aqua PU, PU, fingertip dipped, half-dipped, Dyneema® Diamond Technology, Lycra®, nylon, 13 gg, smooth finish, cut resistance level 5, Cat. II, extra long, reinforced fingertips, breathable back, water and oil repellent palm, steel-fibre free, fibreglass-free, anatomically designed, for fine assembly work

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, nylon, 13 gg DIPPING Fingertip dipped, half-dipped DIPPING MATERIAL Aqua PU, PU GRIP PATTERN Smooth finish COLOUR White, grey SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag with euro slot

FEATURES Cut resistant according to EN 388 level 5 (5), extra long, breathable back, $reinforced\ fingertips, water\ and\ oil\ repellent$

PROPERTIES High level of protection, durable, good grip, breathable

PRIMARY ENVIRONMENTS OF USE Cut risk environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments



CUT 5

CUT 5















TEGERA® 991

Cut resistant glove, PU, half-dipped, Dyneema®, glass fibre thread, nylon, 13 gg, smooth finish, cut resistance level 5, Cat. II, water and oil repellent palm, for precision work

LINER MATERIAL Dyneema®, glass fibre thread, nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 230 - 260mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag

FEATURES Cut resistant according to EN 388 $\,$ level 5 (5)

PROPERTIES Good fingertip sensitivity, very durable, good grip, good fit, comfortable, breathable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, oil and greasy environments, dirty environments, harsh environments















TEGERA® 991WHT

Cut resistant glove, PU, half-dipped, Dyneema®, glass fibre thread, nylon, 13 gg, smooth finish, cut resistance level 5, Cat. II, water and oil repellent palm, for precision work

 ${\it LINER\,MATERIAL\,Dyneema@,\,glass\,fibre\,thread,}$ nylon, 13 gg

DIPPING Half-dipped DIPPING MATERIAL PU

GRIP PATTERN Smooth finish

COLOUR White

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 230 - 260 mm

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag

FEATURES Cut resistant according to EN 388 level 5 (5)

PROPERTIES Highest level of protection, good fingertip sensitivity, durable, good grip, good fit, breathable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, oil and greasy environments, dirty environments















TEGERA® 450

 $Cut \ resistant \ glove, \ nitrile \ foam, \ half-dipped, \ CRF^{\circ} \ Technology, \ glass \ fibre \ thread, \ nylon, 13 \ gg,$ foam grip pattern, cut resistance level 5, Cat. II, water and oil repellent palm, for fine assembly

 ${\it LINER\,MATERIAL\,CRF}\@ifnextchar[{\it MATERIAL\,CRF}\@ifnextchar[{\it CRF}\@ifnextchar[{\it MATERIAL\,CRF}\@ifnextchar[{\it MATERIAL\,CRF}\$

thread, nylon, 13 gg

DIPPING Half-dipped

DIPPING MATERIAL Nitrile foam GRIP PATTERN Foam grip pattern

COLOUR Black

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220 - 270mm

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag with euro slot

FEATURES Cut resistant according to EN 388 $\,$ level 5 (5)

PROPERTIES Durable, good grip

PRIMARY ENVIRONMENTS OF USE Cut

 $risk\ environments,\ dirty\ environments,\ harsh$ environments















CUT 5

TEGERA® 992

Cut resistant glove, Dyneema®, Lycra®, nylon, 13 gg, cut resistance level 5, Cat. II, for precision

LINER MATERIAL Dyneema®, Lycra®, nylon, 13 gg COLOUR White SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 220-260 mm

PAIRS PER PACKAGE/CARTON 10/120 DISPLAY Bag

FEATURES Cut resistant according to EN 388

 ${\sf PROPERTIES}\, \textbf{High level of protection,}$ good fingertip sensitivity, durable, good fit, comfortable, breathable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, harsh environments



















Cut resistant glove, nitrile, fully dipped, Dyneema®, glass fibre thread, nylon, 13 gg, structured, cut resistance level 5, Cat. II, water and oil repellent, for allround work

LINER MATERIAL Dyneema®, glass fibre thread, nylon, 13 gg DIPPING Fully dipped DIPPING MATERIAL Nitrile

GRIP PATTERN Structured

COLOUR Black SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 230 - 290mm

PAIRS PER PACKAGE/CARTON 12/120

FEATURES Cut resistant according to EN 388 $\,$ level 5 (5), water and oil repellent, anatomically

 ${\sf PROPERTIES}\, \textbf{High level of protection, durable}$ PRIMARY ENVIRONMENTS OF USE Cut risk environments, moist environments, oil and greasy environments, dirty environments, slippery environments

















TEGERA® 666

Cut resistant glove, nitrile foam, half-dipped, KEVLAR $^\circ$ fiber, glass fibre thread, 13 gg, foam grip pattern, cut resistance level 5, Cat. II, withstands contact heat up to 100°C, breathable back, water and oil repellent palm, flame retardant, anatomically designed, for fine assembly work

LINER MATERIAL KEVLAR® fiber, glass fibre thread, 13 gg

DIPPING Half-dipped

DIPPING MATERIAL Nitrile foam

GRIP PATTERN Foam grip pattern

COLOUR Black, green

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 220 - 260mm

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag with euro slot

FEATURES Cut resistant according to EN 388 level 5 (5), withstands contact heat up to 100°C, breathable back, water and oil repellent palm,

 ${\tt PROPERTIES\, Highest\, level\, of\, protection, good}$ fingertip sensitivity, flexible, very durable, good grip, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk environments, warm environments, moist environments, oil and greasy environments, dirty environments, slippery environments







EN 407









TEGERA® 629

Cut resistant glove, latex, 3/4 dipped, Dyneema®, glass fibre thread, nylon, 13 gg, granulated, cut resistance level 5, Cat. II, waterproof, for assembly work

LINER MATERIAL Dyneema®, glass fibre thread, nylon, 13 gg

DIPPING 3/4 dipped

DIPPING MATERIAL Latex

GRIP PATTERN Granulated

FASTENING Velcro®

SIZE RANGE 7, 8, 9, 10, 11

COLOUR Black, grey

LENGTH RANGE 220 - 260mm

PAIRS PER PACKAGE/CARTON 12/120

FEATURES Cut resistant according to EN 388 $\,$

level 5 (5)

PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, wet environments, moist environments, dirty environments, slippery environments







EN 388







Cut resistant glove, fully lined, 0,7-0,8 mm, full grain deerskin, full grain deerskin, cut resistance level 5, Dyneema®, stainless steel fibre yarn, Cat. II, for allround work

PALM MATERIAL Full grain deerskin BACK MATERIAL Full grain deerskin LINING Fully lined LINING MATERIAL Dyneema®, stainless steel fibre yarn

FASTENING Elasticated 180° COLOUR Black

SIZE RANGE 6, 7, 8, 9, 10, 11, 12

LENGTH RANGE 240-285 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread FEATURES Cut resistant according to EN 388 $\,$ level 5 (5) ${\sf PROPERTIES\, Highest\, level\, of\, protection, good}$ fingertip sensitivity, durable, good fit

PRIMARY ENVIRONMENTS OF USE Cut risk

environments, harsh environments



















TEGERA® 910

Cut resistant glove, CRF® Technology, nylon, 13 gg, cut resistance level 5, Cat. II, high-viz colour, for allround work

LINER MATERIAL CRF® Technology, nylon, 13 gg COLOUR Orange high-viz SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220-270 mm PAIRS PER PACKAGE/CARTON 12/120 FEATURES Cut resistant according to EN 388level 5 (5), high-viz colour, soft, thin

PROPERTIES Highest level of protection, good fingertip sensitivity, flexible, durable, good fit, comfortable, light PRIMARY ENVIRONMENTS OF USE Cut

 $risk\ environments,\ dry\ environments,\ clean$ environments, cold environments, warm environments, dirty environments













TEGERA® 983

Cut resistant glove, PU, half-dipped, Dyneema $^\circ$ Diamond Technology, Lycra $^\circ$, 15 gg, smooth finish, cut resistance level 4, Cat. II, breathable back, for precision work

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, 15 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish ${\tt COLOUR\ Yellow\ high-viz,\ white}$ SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag FEATURES Cut resistant according to EN 388 $\,$ level 4 (5)

PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, very breathable, extremely Light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, dirty environments









 $Cut \ resistant \ glove, fully \ lined, 0,7-0,9 \ mm, full \ grain \ goatskin \ of \ top \ quality, full \ grain \ cowhide$ of top quality, cut resistance level 4, KEVLAR® fiber, glass fibre thread, Cat. II, reinforced index finger, reinforced seams, water and oil repellent palm, for allround work $% \left\{ 1\right\} =\left\{ 1\right\} =$

PALM MATERIAL Full grain goatskin of top quality

BACK MATERIAL Full grain cowhide of top quality

 ${\sf LINING}\, {\sf Fully}\, {\sf lined}$

LINING MATERIAL KEVLAR® fiber, glass fibre

FASTENING Elasticated 180°

COLOUR Brown, black

SIZE RANGE 7, 8, 9, 10, 11, 12, 13

LENGTH RANGE 290-320 mm

PAIRS PER PACKAGE/CARTON 12/60

DISPLAY Thread

FEATURES Cut resistant according to EN 388 $\,$ level 4 (5), withstands contact heat up to 100°C, reinforced index finger, reinforced seams, reinforced thumb, water and oil repellent, flame $retardant, with stands \ welding \ sparks \ and$ grinding splash

PROPERTIES High level of protection, flexible, durable, excellent fit

PRIMARY ENVIRONMENTS OF USE Cut risk environments, warm environments, oil and greasy environments, harsh environments















EN 407



TEGERA® 993

Cut resistant glove, Dyneema®, glass fibre thread, nylon, 13 gg, cut resistance level 4, Cat. II, for allround work

LINER MATERIAL Dyneema®, glass fibre thread, nylon, 13 gg

COLOUR Grey

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 230-270 mm

PAIRS PER PACKAGE/CARTON 24/240

FEATURES Cut resistant according to EN 388 $\,$ level 4 (5)

PROPERTIES Light

PRIMARY ENVIRONMENTS OF USE Cut risk

environments



CUT 4













TEGERA® 909

Cut resistant glove, PU, palm-dipped, Dyneema® Diamond Technology, Lycra®, nylon, 18 gg, smooth finish, cut resistance level 3, Cat. II, breathable back, water and oil repellent palm, steelfibre free, fibreglass-free, for precision work

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, nylon, 18 gg DIPPING Palm-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey

SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 210 - 250 mm

PAIRS PER PACKAGE/CARTON 12/120

 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$

FEATURES Cut resistant according to $\ensuremath{\mathsf{EN}}$ 388 level 3 (5), water and oil repellent palm, ergonomically shaped, steel-fibre free, fibreglass-free

PROPERTIES High level of protection, extremely good fingertip sensitivity, extra flexible, very durable, good grip, excellent fit, comfortable, breathable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, dirty environments













EN 388 3332



 $Cut\ resistant\ glove,\ PU,\ half-dipped,\ Dyneema^{\circ},\ nylon,\ 13\ gg,\ smooth\ finish,\ cut\ resistance\ level$ 3, Cat. II, breathable back, water and oil repellent palm, anatomically designed, for precision

LINER MATERIAL Dyneema®, nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11, 12 LENGTH RANGE 220 - 270mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag with euro slot FEATURES Cut resistant according to EN 388 level 3 (5) PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable, breathable, light

PRIMARY ENVIRONMENTS OF USE Oil and greasy environments, dirty environments, harsh environments

















TEGERA® 990

Cut resistant glove, PU, half-dipped, Dyneema®, Lycra®, 13 gg, smooth finish, cut resistance level 3, Cat. II, for precision work

DISPLAY Bag

environments

LINER MATERIAL Dyneema®, Lycra®, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR White SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 210 - 250mm PAIRS PER PACKAGE/CARTON 12/120

FEATURES Cut resistant according to EN 388 $\,$ level 3 (5), DMF free < 5 mg/kg, water and oil repellent palm, fibreglass free, soft, elastic, washable in 40° C, fibreglass-free PROPERTIES Extremely good fingertip sensitivity, durable, good grip, excellent fit, extra comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk









TEGERA® 10990

Cut resistant glove, PU, half-dipped, Dyneema®, Lycra®, nylon, 13 gg, smooth finish, cut $resistance\ level\ 3, Cat.\ II, breathable\ back, oil\ and\ grease\ resistant\ palm, for\ precision\ work$

LINER MATERIAL Dyneema®, Lycra®, nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag

FEATURES Cut resistant according to EN 388 $\,$ level 3 (5), breathable back

PROPERTIES High level of protection, extremely good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, very breathable, light

PRIMARY ENVIRONMENTS OF USE Cut risk environments, oil and greasy environments, dirty environments













Cut resistant glove, PU, half-dipped, CRF® Technology, Lycra®, nylon, 13 gg, smooth finish, cut resistance level 3, Cat. II, breathable back, water and oil repellent palm, for fine assembly work

LINER MATERIAL CRF® Technology, Lycra®, nylon, 13 gg DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey, white SIZE RANGE 6, 7, 8, 9, 10, 11

LENGTH RANGE 220 - 270mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag with euro slot FEATURES Cut resistant according to EN 388 $\,$ level 3 (5) PROPERTIES Flexible, good grip, comfortable

PRIMARY ENVIRONMENTS OF USE Cut risk environments, dirty environments















TEGERA® 215

Cut resistant glove, fully lined, 0,6-0,7 mm, full grain goatskin of top quality, cut resistance level 3, KEVLAR® fiber, Cat. II, reinforced index finger, reinforced fingertips, for precision work

PALM MATERIAL Full grain goatskin of top quality

LINING Fully lined LINING MATERIAL KEVLAR® fiber FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 210-260 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread

FEATURES Cut resistant according to EN 388 level 3 (5), reinforced index finger, reinforced fingertips

PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Harsh environments







EN 388







TEGERA® 9121

Cut resistant glove, half-lined, 0,5 mm, Microthan®+, polyester, cut resistance level 3, KEVLAR® fiber, Cat. II, reinforced seams, chrome free

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Half-lined LINING MATERIAL KEVLAR® fiber FASTENING Velcro® ${\sf COLOUR\,Black,grey,yellow}$ SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 207-243 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Cut resistant according to EN 388 level 3 (5), chrome free, reinforced index finger, reinforced seams, reinforced fingertips, precurved fingers, specially designed thumb, short model, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, durable, excellent grip, excellent fit, extra

PRIMARY ENVIRONMENTS OF USE Cut risk environments, dark environments, dry environments, moist environments, oil and greasy environments, dirty environments, slippery environments

















Cut resistant glove, Dyneema®, Lycra®, 13 gg, cut resistance level 3, Cat. II, extra long, breathable, for precision work

LINER MATERIAL Dyneema®, Lycra®, 13 gg ${\sf COLOUR}\,{\sf White}$ SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent fit, extra comfortable, very breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk

















CUT SLEEVES

Flexible and anatomically designed sleeves for all-round and installation work. Protects forearms against cuts, abrasion, tear and puncture injuries.



ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

TEGERA® 999

Cut sleeve, Dyneema®, glass fibre thread, nylon, 13 gg, cut resistance level 5, Cat. II, for fine assembly work

LINER MATERIAL Dyneema®, glass fibre thread, nylon, 13 gg

COLOUR White

LENGTH RANGE 380 mm

PAIRS PER PACKAGE/CARTON 20/240

FEATURES Cut resistant according to EN 388

PROPERTIES Flexible, durable, good fit,

comfortable, breathable



SOLD SEPARATELY









CUT 5







TEGERA® 99

Cut sleeve, Dyneema® Diamond Technology, Lycra®, nylon, 13 gg, cut resistance level 4, Cat. II, anatomically designed, for fine assembly work

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, nylon, 13 gg COLOUR Grey SIZE RANGE 8, 9, 10 LENGTH RANGE 400-500 mm PAIRS PER PACKAGE/CARTON 10/100 DISPLAY Bag with euro slot FEATURES Cut resistant according to EN 388 $\,$ level 4 (5) PROPERTIES Flexible, durable, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk

environments, harsh environments















Cut sleeve, Dyneema®, nylon, 13 gg, cut resistance level 3, Cat. II, extra long, high-viz colour, breathable back

LINER MATERIAL Dyneema®, nylon, 13 gg COLOUR Green high-viz LENGTH RANGE 350 mm PAIRS PER PACKAGE/CARTON 10/100 DISPLAY Bag

FEATURES Cut resistant according to EN 388 $\,$ level 3 (5)

 ${\tt PROPERTIES\, High\, level\, of\, protection,\, flexible,}$ durable, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Cut risk environments, harsh environments













TEGERA® 996

Cut sleeve, KEVLAR $^{\! \circ}$ fiber, cut resistance level 3, Cat. II, for allround work

LINER MATERIAL KEVLAR® fiber COLOUR Yellow LENGTH RANGE 250 mm PAIRS PER PACKAGE/CARTON 24/144 FEATURES Cut resistant according to EN 388 level 3 (5), withstands contact heat up to 100°C ${\it PROPERTIES} \ {\it Flexible}, good \ fit, comfortable$ PRIMARY ENVIRONMENTS OF USE Cut risk environments, warm environments

















ANTI-VIBRATION GLOVES

Protects the hands in jobs where vibration is frequently experienced. New technology has been used with excellent results – vibratory impact on the hands has been drastically reduced. The gloves are also supple and comfortable.



HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.

TEGERA® 9180

Anti-vibration glove, unlined, Microthan®, Vibrothan®, polyester, Cat. II, reinforced index finger, reinforced fingertips, chrome free, for heavy work

PALM MATERIAL Microthan®, Vibrothan® BACK MATERIAL Polyester LINING Unlined FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 210-242 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Vibration-reducing according to $\ensuremath{\mathsf{EN}}$ ISO 10819, chrome free, reinforced index finger, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, short model, ergonomically shaped, specially designed details PROPERTIES Flexible, excellent grip, good fit,

extra comfortable

PRIMARY ENVIRONMENTS OF USE Harsh environments







EN 388 EN ISO 10819





MicroThan°+

VIBROTHAN[®]



TEGERA® 9181

Anti-vibration glove, unlined, full grain goatskin of top quality, Vibrothan®, full grain goatskin of top quality, Cat. II, reinforced index finger, reinforced seams, for heavy work

PALM MATERIAL Full grain goatskin of top quality, Vibrothan®

 ${\sf BACK\,MATERIAL\,Full\,grain\,goatskin\,of\,top}$ quality

LINING Unlined

FASTENING Velcro®

COLOUR Black, yellow

SIZE RANGE 9, 10, 11

LENGTH RANGE 240-260 mm

PAIRS PER PACKAGE/CARTON 6/36

DISPLAY No thread

FEATURES Vibration-reducing according to $\ensuremath{\mathsf{EN}}$ ISO 10819, reinforced index finger, padded palm, pre-curved fingers, short model

 ${\sf PROPERTIES} \ {\sf Very} \ {\sf durable}, {\sf comfortable}$ PRIMARY ENVIRONMENTS OF USE Harsh

environments







EN 388 EN ISO 10819









Anti-vibration glove, full grain goatskin of top quality, Vibrothan®, full grain goatskin of top quality, Cat. II, extra long, for heavy work

 ${\sf PALM\,MATERIAL\,Full\,grain\,goatskin\,of\,top}$ quality, Vibrothan®

 ${\sf BACK\,MATERIAL\,Full\,grain\,goatskin\,of\,top}$ quality

COLOUR Black, yellow SIZE RANGE 9, 10, 11

LENGTH RANGE 315-335 mm

PAIRS PER PACKAGE/CARTON 6/36

DISPLAY No thread

FEATURES Vibration-reducing according to EN ISO 10819, extra long, padded palm

PROPERTIES Very durable, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Harsh

environments













EN 388 EN ISO 10819 3111







IMPACT-REDUCING GLOVES

Protects the hands in jobs involving frequent blows and shocks. New technology has been used with excellent results – shock impact on the hands has been drastically reduced. The gloves are also supple and comfortable.



PRECISION WORK

For precision and assembly work, your fingers need total freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 9185

Impact-reducing glove, Microthan®, Impactothan®, polyester, Cat. II, reinforced fingertips, chrome free, for fine assembly work

PALM MATERIAL Microthan®, Impactothan® BACK MATERIAL Polyester FASTENING Velcro® COLOUR Grey, black, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 207-247 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Impact-reducing, reinforced seams, reinforced fingertips, padded palm, pre-curved fingers, specially designed thumb, detachable fingers, short model, ergonomically shaped, specially designed details

PROPERTIES Extremely good fingertip sensitivity, flexible, excellent grip, excellent fit,

PRIMARY ENVIRONMENTS OF USE Harsh environments















MicroThan®

 $\mathbf{IMPACTO} \mathsf{THAN}^{@}$



ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

IMPACT-REDUCING GLOVES / ALLROUND WORK

TEGERA® DEFEND 2011

Impact-reducing glove, fully lined, 0,7-0,8 mm, full grain cowhide of top quality, cotton, KEVLAR® fiber, Cat. II, knuckle protection, reinforced seams, for allround work

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Cotton

LINING Fully lined

LINING MATERIAL KEVLAR® fiber

FASTENING Velcro®

COLOUR Black

SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 285-335 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Reinforced fingers and thumb, pre-curved fingers, detachable fingers, water repellent leather

PROPERTIES High level of protection, extremely good fingertip sensitivity, very durable, excellent

PRIMARY ENVIRONMENTS OF USE Moist environments, harsh environments









EN 388 3242



TEGERA®



ESD GLOVES

Human beings are excellent conductors of electricity. ESD gloves are used to divert the static electricity that we generate. Static discharge can entail a serious risk of accident, for example when handling easily combustible liquids and explosive gases. Sensitive industrial electronic equipment can be damaged or destroyed if it is installed without ESD protection. Our comfortable and supple ESD gloves are available in both rubber and textile material, with integrated or woven-in carbon fibre threads.



PRECISION WORK

For precision and assembly work, your fingers need total freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 9101

Synthetic leather glove, unlined, 0,5 mm, Microthan®, polyester, Cat. II, reinforced index finger, chrome free, for fine assembly work

PALM MATERIAL Microthan® BACK MATERIAL Polyester LINING Unlined FASTENING Elasticated 180° COLOUR Black, yellow, white SIZE RANGE 5, 6, 7, 8, 9, 10 LENGTH RANGE 216-253 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread

FEATURES Chrome free, reinforced index finger, reinforced seams, pre-curved fingers, specially designed thumb, short model, ESD, ergonomically shaped, specially designed details ${\tt PROPERTIES} \ {\tt Extremely} \ {\tt good} \ {\tt fingertip}$ sensitivity, extra flexible, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, moist environments, oil and greasy environments, dirty environments









EN 61350-5-1





MicroThan®



TEGERA® 30

 $Leather glove, unlined, 0,6-0,7\,mm, full grain goatskin of top quality, nylon, Cat. \,II, reinforced$ index finger, for precision work

PALM MATERIAL Full grain goatskin of top BACK MATERIAL Nylon LINING Unlined FASTENING Elasticated 180° COLOUR Blue, white SIZE RANGE 5, 6, 7, 8, 9, 10, 11, 12 LENGTH RANGE 220-260 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread FEATURES Reinforced index finger, ESD PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Indoors, clean environments







EN 388



EN 61350-5-1





Synthetic glove, PU, fingertip dipped, nylon, carbon, 15~gg, smooth finish, Cat.~II, breathable, for

LINER MATERIAL Nylon, carbon, $15\,\mathrm{gg}$ DIPPING Fingertip dipped DIPPING MATERIAL PU $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Smooth}\,\mathsf{finish}$ COLOUR Grey SIZE RANGE 5, 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 250mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag FEATURES ESD ${\tt PROPERTIES} \, \textbf{Good fingertip sensitivity, flexible,}$ durable, good grip, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments











EN 61350-5-1





TEGERA® 811

Synthetic glove, PU, half-dipped, nylon, carbon, 15~gg, smooth~finish, Cat.~II, for~precision~work~lines and the contraction of the contraction

LINER MATERIAL Nylon, carbon, 15 gg $\,$ DIPPING Half-dipped DIPPING MATERIAL PU GRIP PATTERN Smooth finish COLOUR Grey, white SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 220 - 250mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag FEATURES ESD ${\tt PROPERTIES} \, \textbf{Good fingertip sensitivity, flexible,}$ durable, good grip, good fit, comfortable,breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, dirty environments













TEGERA® 805

Synthetic glove, nylon, carbon, 15 gg, Cat. II, for precision work

LINER MATERIAL Nylon, carbon, 15 gg COLOUR Grey SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 220 - 250mm PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag FEATURES ESD PROPERTIES Good fingertip sensitivity, flexible, good fit, comfortable, breathable, light PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments



















Thermal risks

In this chapter you find gloves that offer protection against thermal risks – frostbite and burns. Our winter-lined gloves are supple, durable and snug. You can find waterproof winter gloves for users who work outdoors in the wet. Our range includes extra warm gloves for people who are out in all weathers – even when temperatures fall dramatically.

In the following pages you will also find gloves that resist heat and protect those doing hot work and welding – from simple, allround gloves that can withstand 200° C to advanced welding gloves with and without lining that give protection at much higher temperatures.



AVOID FROSTBITE

Bare hands should not be exposed to temperatures lower than +10°C. To protect against cold temperatures, wind and damp, lined gloves are required.



AVOID BURNS

A large burn represents one of the greatest traumas that anyone can be exposed to. Many burns heal of their own accord but large ones can cause lifelong scarring. Always use gloves when handling hot work, whether in a car shop, a catering centre or a factory.



HAND PROTECTION AGAINST COLD

Our winter gloves are warm, comfortable and flexible. Both materials and manufacturing methods in this area are constantly being improved, as a result of which these gloves keep hands warm without forfeiting sensitivity. Winter gloves are available in different varieties: waterproof ones for people who work outdoors in very wet conditions and extra warm models for those who are out in all weathers – even when temperatures fall dramatically. All gloves have been very carefully designed. Different types of lining are available to suit different needs.



PRECISION WORK

For precision and assembly work, your fingers need freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 417

Synthetic leather glove, fully lined, 0,7 mm, synthetic leather, polyester, fleece, Cat. II, chrome free, soft, for precision work

PALM MATERIAL Synthetic leather BACK MATERIAL Polyester LINING Fully lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Grev. black, blue SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 250-270 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Chrome}\ {\sf free}, {\sf reinforced}\ {\sf palm}, {\sf soft}$ PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, good fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, cold environments, dirty environments, slippery environments

















TEGERA® 322

Synthetic leather glove, winter-lined, synthetic leather, polyester, fleece, Cat. II, reinforced index finger, chrome free, winter-lined, for assembly work

PALM MATERIAL Synthetic leather BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 180° COLOUR Black, grey SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 230-260 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag FEATURES Chrome free, reinforced index finger, short model, soft PROPERTIES Good fingertip sensitivity, flexible, extra comfortable PRIMARY ENVIRONMENTS OF USE Dry environments, cold environments

















Synthetic leather glove, winter-lined, 0,7 mm, synthetic leather, polyester, fleece, Cat. II, chrome free, winter-lined, for precision work

PALM MATERIAL Synthetic leather BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black, green SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 235-255 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced fingertips, windproof, short model,

 ${\tt PROPERTIES} \, {\tt Good} \, {\tt fingertip} \, {\tt sensitivity}, \, {\tt flexible}, \,$ good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Windy environments, dry environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments























TEGERA® 235

Leather glove, winter-lined, 0,6-0,7 mm, full grain goatskin, nylon, fleece, Cat. II, reinforced index finger, reinforced fingertips, for precision work

PALM MATERIAL Full grain goatskin BACK MATERIAL Nylon LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Black, green, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 225-255 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Reinforced}\ {\sf index}\ {\sf finger}, {\sf reinforced}$ fingertips

PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable PRIMARY ENVIRONMENTS OF USE All-year use, cold environments















TEGERA® 117

 $Leather glove, winter-lined, 0,6-0,7\,mm, full grain goatskin of top quality, nylon, fleece, Cat. \,II,$ reinforced index finger, reinforced fingers and thumb, for precision work

PALM MATERIAL Full grain goatskin of top BACK MATERIAL Nylon LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Grey, white SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 230-285 mm

PAIRS PER PACKAGE/CARTON 12/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingers and thumb PROPERTIES High level of protection, extremely good fingertip sensitivity, extra flexible, durable, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Outdoors, all-year use, cold environments









Leather glove, winter-lined, 0,6-0,7 mm, full grain goatskin, nylon, fleece, Cat. II, reinforced index finger, reinforced fingers and thumb, for precision work

PALM MATERIAL Full grain goatskin BACK MATERIAL Nylon LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black, white, green SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 220-270 mm

PAIRS PER PACKAGE/CARTON 6/60 ${\sf DISPLAY\, Hook\, with\, hangtag}$ FEATURES Reinforced index finger, reinforced fingers and thumb, specially designed details $% \left\{ \left\{ 1\right\} \right\} =\left\{ 1\right\}$ PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable, warm PRIMARY ENVIRONMENTS OF USE Cold environments


















ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

TEGERA® 9127

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Thinsulate® 40g, Cat. II, chrome free, windproof back, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece, Thinsulate® 40g FASTENING Elasticated 360° COLOUR Grev. black, vellow SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 225-275 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag FEATURES Chrome free, reinforced index $finger, reinforced\ seams, reinforced\ fingertips,$ pre-curved fingers, specially designed thumb, windproof back, short model, ergonomically

shaped, specially designed details PROPERTIES Flexible, very durable, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Windy environments, dry environments, cold environments, moist environments, oil and greasy environments, dirty environments, slippery environments









EN 388







MicroThan°+







TEGERA® 9128

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Thinsulate® 40g, Cat. II, chrome free, high-viz colour, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece, Thinsulate® 40g FASTENING Elasticated 360° COLOUR Yellow, black SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240-275 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES For touch screen, chrome free, highviz colour, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, knuckle protection, windproof, waterproof, ergonomically shaped, reflector, specially designed details PROPERTIES Flexible, durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments











AQUATHAN[®]











Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, chrome free, waterproof, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Black, silver SIZE RANGE 8, 9, 10, 11, 12 LENGTH RANGE 237-285 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, short model, waterproof, ergonomically shaped, specially designed details

PROPERTIES Flexible, very durable, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments















MicroThan®+

AQUATHAN[®]









TEGERA® 9122

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, chrome free, water repellent, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 242-282 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, water repellent, ergonomically shaped, reflector, specially designed details

PROPERTIES Flexible, very durable, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, cold environments, moist environments, oil and greasy environments, dirty environments, slippery environments

















TEGERA® 9146

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, neoprene, polyester, fleece, Cat. II, chrome free, waterproof, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Neoprene, polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 8, 9, 10, 11, 12 LENGTH RANGE 250-288 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, precurved fingers, knuckle protection, windproof, waterproof, ergonomically shaped, reflector, specially designed details

PROPERTIES Good fingertip sensitivity, flexible, very durable, excellent grip, excellent fit, extra

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments





















Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, wrist support, chrome free, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black, grey, yellow SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 255-280 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Wrist-supporting, extra long, chrome free, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, water repellent, moisture resistant, ergonomically shaped, reflector, specially designed details PROPERTIES Flexible, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark

environments, dry environments, cold environments, moist environments, dirty environments, slippery environments









EN 388













TEGERA® 9126

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, chrome free, waterproof, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Black, grey, yellow SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 260-295 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, windproof, waterproof, Sympatex membrane, ergonomically shaped, reflector, specially designed details

PROPERTIES Flexible, very durable, excellent grip, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments







EN 511



MicroThan°+









TEGERA® 9112

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, chrome free, water repellent, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 180° COLOUR Black, grey, yellow SIZE RANGE 6, 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 230-275 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced $\stackrel{\cdot}{\text{fingertips}}, \stackrel{\cdot}{\text{padded}} \, \text{palm, pre-curved fingers,}$ specially designed thumb, water repellent, ergonomically shaped, reflector, specially designed details

PROPERTIES Flexible, very durable, excellent grip, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, dry environments, clean environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments



















Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Thinsulate® 100g, Cat. II, chrome free, waterproof, for allround work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece, Thinsulate® 100g FASTENING Elasticated 360° COLOUR Grey, black, yellow SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 240-295 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced seams, reinforced fingertips, pre-curved fingers, specially designed thumb, windproof, waterproof, moisture resistant, ergonomically shaped, reflector, specially designed details

PROPERTIES Very durable, excellent grip, good fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, clean environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments

























TEGERA® 9202

Synthetic leather glove, winter-lined, 0,8 mm, Macrothan®, polyester, fleece, Cat. II, reinforced fingers and thumb, chrome free, for allround work

PALM MATERIAL Macrothan® BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Grev. black, vellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230-270 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced fingertips, reinforced fingers and thumb, reinforced thumb, pre-curved fingers, specially designed thumb, ergonomically shaped, reflector, specially designed details PROPERTIES Flexible, durable, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Dry environments, clean environments, cold environments, dirty environments



















TEGERA® 9232

 $Synthetic \ leather \ glove, \ winter-lined, 0,8 \ mm, Macrothan^{\circ}, neoprene, fleece, Cat. \ II, chrome \ free,$ windproof back, for allround work

PALM MATERIAL Macrothan® BACK MATERIAL Neoprene LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 360° COLOUR Black, grey, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 247-290 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

FEATURES Chrome free, reinforced index finger, reinforced palm, reinforced seams, reinforced fingertips, reinforced fingers and thumb, pre-curved fingers, specially designed thumb, windproof back, ergonomically shaped, reflector, specially designed details PROPERTIES Flexible, durable, excellent fit,

extra comfortable

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, moist environments, dirty environments

















Leather glove, winter-lined, 0,7-0,8 mm, full grain goatskin, polyester, Thinsulate® 40g, Cat. II, wind and waterproof back, waterproof, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Thinsulate® 40g FASTENING Elasticated 360° COLOUR Green, black, white SIZE RANGE 8, 9, 10, 11, 12 LENGTH RANGE 250-285 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf High-viz}\ {\sf colour}, {\sf reinforced}\ {\sf fingers}$ and thumb, waterproof

PROPERTIES High level of protection, extremely good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, cold environments, wet environments

























TEGERA® 295

Leather glove, 0,7-0,8 mm, full grain goatskin, spandex, Thinsulate® 40g, Cat. II, waterproof, winter-lined, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Spandex LINING MATERIAL Thinsulate® 40g FASTENING Elasticated 360° COLOUR White, grey, blue SIZE RANGE 8, 9, 10, 11, 12 PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag FEATURES Reinforced fingers and thumb, waterproof

 ${\tt PROPERTIES} \ {\tt Extremely} \ {\tt good} \ {\tt fingertip}$ sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Cold environments, wet environments













AQUATHAN[®]









TEGERA® 447

 $Leather glove, winter-lined, 0,6-0,7\,mm, full grain goatskin, spandex, Thinsulate {\tt \$}\,40g, Cat.\,II,$ reinforced index finger, waterproof, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Spandex LINING Winter-lined LINING MATERIAL Thinsulate® 40g FASTENING Elasticated 180° COLOUR Black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230-260 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag

 ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingertips, pre-curved fingers, waterproof, reflector

PROPERTIES Good fingertip sensitivity, flexible, durable, good grip, excellent fit, extra comfortable, warm

PRIMARY ENVIRONMENTS OF USE Outdoors cold environments, wet environments

















Leather glove, winter-lined, 0,6-0,7 mm, full grain goatskin, neoprene, spandex, Thinsulate® 40g, Cat. II, reinforced index finger, waterproof, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Neoprene, spandex LINING Winter-lined LINING MATERIAL Thinsulate® 40g FASTENING Velcro® COLOUR Black, white SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 230-265 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingers and thumb, waterproof, reflector PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Outdoors,

cold environments, wet environments











EN 511



AQUATHAN®









TEGERA® 297

Leather glove, winter-lined, 0,7-0,8 mm, full grain goatskin, neoprene, spandex, Thinsulate® 100g, Cat. II, reinforced fingers and thumb, waterproof, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Neoprene, spandex LINING Winter-lined LINING MATERIAL Thinsulate® 100g FASTENING Velcro® COLOUR Blue, black, white SIZE RANGE 8, 9, 10, 11 PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag FEATURES Reinforced fingers and thumb, precurved fingers, waterproof, moisture resistant PROPERTIES High level of protection, good fingertip sensitivity, extra flexible, durable, good grip, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Cold environments, wet environments, moist environments















AQUATHAN[®]









TEGERA® 296

 $Leather glove, winter-lined, 0,7-0,8\,mm, full grain cowhide, neoprene, polyester, Cat.\,II, wind and$ waterproof back, waterproof, for allround work

PALM MATERIAL Full grain cowhide BACK MATERIAL Neoprene, polyester LINING Winter-lined FASTENING Elasticated 360° COLOUR Black, white SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 255-310 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Extra}\ {\sf long}, {\sf reinforced}\ {\sf fingers}\ {\sf and}$ thumb, pre-curved fingers, wind and waterproof back, waterproof PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, excellent fit, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Windv environments, cold environments, wet environments, harsh environments





















Leather glove, winter-lined, 0,7-0,8 mm, full grain cowhide, neoprene, polyester, Cat. II, wind and waterproof back, waterproof, for allround work

PALM MATERIAL Full grain cowhide BACK MATERIAL Neoprene, polyester LINING Winter-lined FASTENING Elasticated 360° COLOUR Green high-viz, black, white SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 255-310 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag

FEATURES Extra long, high-viz colour, reinforced fingers and thumb, pre-curved fingers, wind and waterproof back, waterproof

PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, excellent fit, extra comfortable, warm

PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, cold environments, wet environments











EN 511















TEGERA® 684

Synthetic glove, latex, 3/4 dipped, granulated, Cat. II, water repellent, winter-lined, anatomically designed, for allround work

DIPPING 3/4 dipped DIPPING MATERIAL Latex GRIP PATTERN Granulated COLOUR Black, blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240 - 270mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag ${\sf FEATURES}\ {\sf Water}\ {\sf repellent}\ {\sf palm}, {\sf windproof}$ back PROPERTIES Durable, good grip, good fit PRIMARY ENVIRONMENTS OF USE Cold

environments, moist environments

















TEGERA® 795

Textile glove, acrylic, $10\,\mathrm{gg}$, Cat. I, for allround work

LINER MATERIAL Acrylic, 10 gg FASTENING Elasticated 360° COLOUR Black PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Bag

FEATURES Phthalate-free, soft, elastic PROPERTIES Good fingertip sensitivity, flexible, good grip, comfortable, warm PRIMARY ENVIRONMENTS OF USE Windy environments, dry environments, clean environments, cold environments







EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)





Textile glove, acrylic, 7 gg, Cat. I, for allround work

LINER MATERIAL Acrylic, 7 gg COLOUR Black SIZE RANGE 7, 9, 10 PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag PROPERTIES Warm PRIMARY ENVIRONMENTS OF USE Cold environments





C Cat. I EN 420 + A1 Council Directive 89/686/EEC (PPE Directive)







HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.

TEGERA® 9164

Synthetic leather glove, winter-lined, 0,7 mm, Microthan®+, polyester, fleece, Cat. II, chrome free, winter-lined, for heavy work

PALM MATERIAL Microthan®+ BACK MATERIAL Polyester LINING Winter-lined LINING MATERIAL Fleece FASTENING Velcro® COLOUR Black silver SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 258-310 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag FEATURES Chrome free, reinforced palm, reinforced seams, water repellent, reflector PROPERTIES Very durable, excellent grip, good fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Dark environments, windy environments, dry environments, cold environments, moist environments, oil and greasy environments, dirty environments, slippery environments, harsh environments









TEGERA® 10

 $Leather glove, winter-lined, 0,7-0,8\,mm, full \,grain\,goatskin, full\,grain\,goatskin, artificial\,fur, Cat.$ II, water repellent leather, for heavy work

PALM MATERIAL Full grain goatskin ${\sf BACK\ MATERIAL\ Full\ grain\ goatskin}$ LINING Winter-lined LINING MATERIAL Artificial fur COLOUR White, black SIZE RANGE 11 LENGTH RANGE 270 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread FEATURES Water repellent leather PROPERTIES High level of protection, durable, extra comfortable, warm PRIMARY ENVIRONMENTS OF USE Cold environments, moist environments











Leather glove, winter-lined, 1,2-1,4 mm, full grain cowhide of top quality, cotton, fleece, Cat. II, reinforced fingers and thumb, water repellent palm, for heavy work

PALM MATERIAL Full grain cowhide of top quality

BACK MATERIAL Cotton LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 180° COLOUR Grey, white

SIZE RANGE 8, 10, 11 LENGTH RANGE 245-295 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

 ${\sf FEATURES}\ \textbf{Reinforced index finger, reinforced}$ fingers and thumb, waterproof palm

PROPERTIES High level of protection, good fingertip sensitivity, flexible, very durable, good grip, good fit, comfortable, warm

PRIMARY ENVIRONMENTS OF USE Outdoors, cold environments, wet environments











EN 511







TEGERA® 57

Leather glove, winter-lined, 1,0-1,2 mm, full grain oxhide, cotton, fleece, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Full grain oxhide BACK MATERIAL Cotton LINING Winter-lined LINING MATERIAL Fleece COLOUR Grey, white SIZE RANGE 8 10 11

LENGTH RANGE 255-270 mm

DISPLAY Thread ${\sf FEATURES}\ {\sf Reinforced}\ {\sf index}\ {\sf finger}, {\sf reinforced}$ fingers and thumb PROPERTIES High level of protection, durable, good grip, good fit, comfortable, warm

PAIRS PER PACKAGE/CARTON 6/60

PRIMARY ENVIRONMENTS OF USE Outdoors, cold environments

















TEGERA® 298

Leather glove, winter-lined, 1,2-1,4 mm, full grain cowhide, nylon, fleece, Cat. II, reinforced fingers and thumb, high-viz colour, for heavy work

PALM MATERIAL Full grain cowhide BACK MATERIAL Nylon LINING Winter-lined LINING MATERIAL Fleece FASTENING Elasticated 180° COLOUR Green high-viz SIZE RANGE 8, 10 LENGTH RANGE 260-280 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread

 ${\sf FEATURES}\, \textbf{High-viz}\, \textbf{colour,}\, \textbf{reinforced}\, \textbf{index}$ finger, reinforced fingers and thumb, reflector PROPERTIES Very durable, good grip, good fit,

PRIMARY ENVIRONMENTS OF USE Dark environments, cold environments











Leather glove, winter-lined, 1,2-1,4 mm, full grain oxhide, cotton, artificial fur, Cat. II, reinforced index finger, reinforced fingers and thumb, for allround work

PALM MATERIAL Full grain oxhide BACK MATERIAL Cotton LINING Winter-lined LINING MATERIAL Artificial fur FASTENING Elasticated 180° COLOUR Grey, white SIZE RANGE 9, 10, 11, 12 LENGTH RANGE 260-300 mm

PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Thread ${\sf FEATURES} \ \textbf{Reinforced index finger, reinforced}$ fingers and thumb, reflector PROPERTIES High level of protection, very durable, warm PRIMARY ENVIRONMENTS OF USE Cold environments, harsh environments















TEGERA® 377

Leather glove, winter-lined, 0,7-0,8 mm, full grain pigskin, cotton, artificial fur, Cat. II, reinforced index finger, reinforced fingers and thumb, for heavy work

PALM MATERIAL Full grain pigskin BACK MATERIAL Cotton LINING Winter-lined LINING MATERIAL Artificial fur FASTENING Elasticated 180° COLOUR Black white SIZE RANGE **8, 10, 11**

LENGTH RANGE 270-290 mm PAIRS PER PACKAGE/CARTON 6/60 ${\sf DISPLAY}\, {\sf Hook}\, {\sf with}\, {\sf hangtag}$ FEATURES Reinforced index finger, reinforced fingers and thumb PROPERTIES Warm PRIMARY ENVIRONMENTS OF USE Cold environments















TEGERA® 683

Synthetic glove, nitrile foam, 3/4 dipped, acrylic, nylon, polyester, $7\,\mathrm{gg}$, $13\,\mathrm{gg}$, micro foam grip pattern, Cat. II, high-viz colour, water repellent palm, for heavy work

LINER MATERIAL Acrylic, nylon, polyester, 7 gg, 13 gg DIPPING 3/4 dipped DIPPING MATERIAL Nitrile foam GRIP PATTERN Micro foam grip pattern COLOUR Yellow high-viz, black SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 6/60 DISPLAY Hook with hangtag FEATURES High-viz colour PROPERTIES Durable, warm PRIMARY ENVIRONMENTS OF USE Cold environments, wet environments













Synthetic glove, latex, half-dipped, polyester, 7 gg, Cat. II, high-viz colour, for heavy work

LINER MATERIAL Polyester, 7 gg DIPPING Half-dipped DIPPING MATERIAL Latex COLOUR Yellow high-viz, black SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240-280 mm

PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Hook with hangtag FEATURES Waterproof palm ${\sf PROPERTIES\,Durable,good\,fit,comfortable,}$ PRIMARY ENVIRONMENTS OF USE Cold













environments





TEGERA® 682

 $Synthetic glove, latex foam, 3/4 \ dipped, acrylic, polyester, 10 \ gg, micro foam \ grip \ pattern, Cat. \ II,$ high-viz colour, water repellent palm, for heavy work

LINER MATERIAL Acrylic, polyester, $10~{\rm gg}$ DIPPING 3/4 dipped ${\sf DIPPING\,MATERIAL\,Latex\,foam}$ $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Micro}\,\mathsf{foam}\,\mathsf{grip}\,\mathsf{pattern}$ ${\tt COLOUR\ Orange\ high-viz,\ black}$ SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 6/60 ${\sf DISPLAY}\, {\sf Hook}\, {\sf with}\, {\sf hangtag}$ ${\sf FEATURES\, High-viz\, colour, water\, repellent\, palm}$ ${\sf PROPERTIES}\, \textbf{Good}\, \textbf{grip}, \textbf{warm}$ PRIMARY ENVIRONMENTS OF USE Cold environments, wet environments











TEGERA®

TEGERA® 7390

Chemical protection glove, winter-lined, PVC, fully dipped, acrylic, sandy finish, fleece, Cat. III, winter-lined, for heavy work

LINER MATERIAL Acrylic DIPPING Fully dipped DIPPING MATERIAL PVC. LINING Winter-lined LINING MATERIAL Fleece GRIP PATTERN Sandy finish COLOUR Blue SIZE RANGE 8, 9, 10

LENGTH RANGE 300 mm

PAIRS PER PACKAGE/CARTON 6/36

AQL 0.65 DISPLAY Bag

PROPERTIES Flexible, very durable, good grip, good fit, comfortable, warm

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, environments hazardous to health, corrosive environments, outdoors, moist environments, oil and greasy environments, dirty environments, harsh environments













We have a wide range of heat-resistant gloves. We have a wide range of heat-resistant gloves that all are made from a material that cannot burn and that provide excellent durability and perfect fit. They are tanned so as to cope with high temperatures without shrinking or hardening. Available in lined and unlined models to suit different needs.



PRECISION WORK

For precision and assembly work, your fingers need freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 126

Heat-resistant glove, unlined, 0,7-0,8 mm, full grain goatskin, full grain goatskin, Cat. II, withstands contact heat up to 100°C, reinforced seams, for precision work

PALM MATERIAL Full grain goatskin ${\sf BACK\ MATERIAL\ Full\ grain\ goatskin}$ LINING Unlined FASTENING Elasticated 180° COLOUR White, yellow SIZE RANGE 7, 8, 9, 10, 11 PAIRS PER PACKAGE/CARTON 12/60 DISPLAY Thread FEATURES Withstands contact heat up to 100°C , reinforced index finger, reinforced seams, with stands welding sparks and grinding splash $\,$ PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments











TEGERA®

TEGERA® 130

 $Heat\text{-}resistant\ glove, unlined, 0,7\text{-}0,8\ mm,\ full\ grain\ goatskin,\ full\ grain\ goatskin,\ Cat.\ II,$ reinforced index finger, reinforced seams, for assembly work

PALM MATERIAL Full grain goatskin BACK MATERIAL Full grain goatskin LINING Unlined FASTENING Elasticated 180° COLOUR White, yellow SIZE RANGE 7, 8, 9, 10, 11 PAIRS PER PACKAGE/CARTON 12/120 DISPLAY Thread

FEATURES Withstands contact heat up to 100°C, reinforced index finger, reinforced seams, reinforced thumb, withstands welding sparks and grinding splash $% \label{eq:continuous} % \label$

PROPERTIES High level of protection, extremely good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments











ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

TEGERA® 11CV

Heat-resistant glove, 0,7-0,8 mm, full grain goatskin of top quality, full grain goatskin of top quality, Cat. II, chrome free, water repellent leather, for assembly work

PALM MATERIAL Full grain goatskin of top

 ${\sf BACK\ MATERIAL\ Full\ grain\ goatskin\ of\ top}$ quality

FASTENING Elasticated 180° COLOUR White, yellow SIZE RANGE 8.10.11 LENGTH RANGE 280-300 mm

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Thread

FEATURES Withstands contact heat up to 100°C, chrome free, reinforced seams, water repellent leather

PROPERTIES Extremely good fingertip sensitivity, extra flexible, very durable, excellent fit, comfortable

PRIMARY ENVIRONMENTS OF USE Warm environments, moist environments, harsh environments









TEGERA®

TEGERA® 118

 $Heat\text{-}resistant glove, unlined, 0,7\text{-}0,8\,\text{mm, full grain goatskin, split grain cowhide, Cat. II,}\\$ reinforced index finger, reinforced seams, for allround work

PALM MATERIAL Full grain goatskin BACK MATERIAL Split grain cowhide LINING Unlined FASTENING Elasticated 180° COLOUR Yellow, white SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 275-315 mm PAIRS PER PACKAGE/CARTON 12/96 DISPLAY Thread

 ${\sf FEATURES}\ \textbf{Withstands}\ \textbf{contact}\ \textbf{heat}\ \textbf{up}\ \textbf{to}$ 100°C , reinforced index finger, reinforced seams, $reinforced\ thumb, with stands\ welding\ sparks$ and grinding splash $\,$

PROPERTIES High level of protection, good fingertip sensitivity, flexible, durable, good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments





EN 388

413X4X





Heat-resistant glove, unlined, 0,8-0,9 mm, full grain cowhide, split grain cowhide, Cat. II, withstands contact heat up to 100°C, reinforced seams, for allround work

PALM MATERIAL Full grain cowhide BACK MATERIAL Split grain cowhide LINING Unlined FASTENING Elasticated 180° COLOUR White, yellow SIZE RANGE 8.10 PAIRS PER PACKAGE/CARTON 6/60 FEATURES Withstands contact heat up to 100°C, reinforced index finger, reinforced seams, withstands welding sparks and grinding splash PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments







EN 407

EN 12477 Type B





TEGERA® 32

Heat-resistant glove, fully lined, 0,7-0,8 mm, full grain goatskin of top quality, full grain cowhide, $KEVLAR @ fiber, Cat. \ II, reinforced index finger, water and oil repellent, for all round work and oil repellent, for all round work and repellent in the result of the$

PALM MATERIAL Full grain goatskin of top quality

BACK MATERIAL Full grain cowhide LINING Fully lined LINING MATERIAL KEVLAR® fiber

FASTENING Elasticated 180° COLOUR Brown, black

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 250-290 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Withstands contact heat up to 100°C, reinforced index finger, reinforced seams, reinforced thumb, water and oil repellent, flame $retardant, with stands\ welding\ sparks\ and$ grinding splash

PROPERTIES High level of protection, good fingertip sensitivity, durable, excellent fit PRIMARY ENVIRONMENTS OF USE Moist environments, oil and greasy environments, harsh environments











TEGERA® 139

 $Heat\text{-resistant glove, fully lined, 0,9-1,1} \ mm, split\ grain\ cowhide, cotton, KEVLAR^{\circledast}\ fiber, Cat.\ II,$ reinforced index finger, reinforced fingers and thumb, for allround work

PALM MATERIAL Split grain cowhide BACK MATERIAL Cotton LINING Fully lined LINING MATERIAL KEVLAR® fiber FASTENING Elasticated 180° COLOUR Black, yellow SIZE RANGE 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 LENGTH RANGE 265-305 mm

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Withstands contact heat up to 100°C , reinforced index finger, reinforced fingers and thumb, reflector

 ${\sf PROPERTIES}\, \textbf{High level of protection, good}$ fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments





41324X





Heat-resistant glove, fully lined, 0,7-0,8 mm, split grain cowhide, cotton, KEVLAR® fiber, Cat. II, reinforced fingers and thumb, water repellent leather, for allround work

PALM MATERIAL Split grain cowhide BACK MATERIAL Cotton LINING Fully lined LINING MATERIAL KEVLAR® fiber FASTENING Elasticated 180° COLOUR Black, brown SIZE RANGE 7, 8, 9, 10, 11, 12, 13 LENGTH RANGE 250-300 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Withstands contact heat up to 100°C, reinforced index finger, reinforced seams, reinforced fingers and thumb, water and oil repellent

PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Warm environments, moist environments, harsh environments











EN 407







TEGERA® 484

Heat-resistant glove, nitrile-dots, cotton, dots, Cat. III, withstands contact heat up to 250°C, extra long, for allround work

LINER MATERIAL Cotton MATERIAL Nitrile-dots GRIP PATTERN Dots COLOUR Red, white SIZE RANGE 10.11 LENGTH RANGE 350mm PAIRS PER PACKAGE/CARTON 6/72 ${\sf FEATURES}\ \textbf{Withstands}\ \textbf{contact}\ \textbf{heat}\ \textbf{up}\ \textbf{to}$ PROPERTIES Durable, good grip PRIMARY ENVIRONMENTS OF USE Warm surfaces, warm environments











TEGERA®

HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.

TEGERA® 17

 $Heat\text{-resistant glove, fully lined, 1,2-1,4}\ mm, split\ grain\ cowhide\ of\ top\ quality, split\ grain$ cowhide of top quality, jersey, Cat. II, withstands contact heat up to 100°C, reinforced seams, for

PALM MATERIAL Split grain cowhide of top quality

 ${\sf BACK\ MATERIAL\ Split\ grain\ cowhide\ of\ top}$ quality

LINING Fully lined LINING MATERIAL Jersey FASTENING Elasticated 180° COLOUR Yellow

SIZE RANGE 8, 10

LENGTH RANGE 240-280 mm PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

FEATURES Withstands contact heat up to 100°C, reinforced seams, flame retardant, withstands welding sparks and grinding splash ${\tt PROPERTIES\, High\, level\, of\, protection,\, good}$ $fingertip\ sensitivity,\ very\ durable,\ good\ fit$ PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments











TEGERA®

TEGERA® 19

Heat-resistant glove, fully lined, 1,2-1,4 mm, split grain cowhide of top quality, split grain cowhide of top quality, jersey, Cat. II, with stands contact heat up to $100^{\circ}\text{C}, \, \text{reinforced}$ seams, for heavy work

PALM MATERIAL Split grain cowhide of top

BACK MATERIAL Split grain cowhide of top quality

LINING Fully lined LINING MATERIAL Jersey FASTENING Elasticated 180°

COLOUR Yellow SIZE RANGE 8, 10, 11 LENGTH RANGE 310-360 mm PAIRS PER PACKAGE/CARTON 6/60

FEATURES Withstands contact heat up to 100°C, reinforced seams, flame retardant, withstands welding sparks and grinding splash ${\sf PROPERTIES}\, \textbf{High level of protection, good}$ $fingertip\ sensitivity,\ very\ durable,\ good\ fit$ PRIMARY ENVIRONMENTS OF USE Warm environments, harsh environments





EN 407 41324X





Chemical protection glove, winter-lined, neopren, crinkled grip pattern, Cat. III, withstands contact heat up to 500°C, extra long, latex-free, winter-lined, for heavy work

DIPPING MATERIAL Neopren LINING Winter-lined ${\sf GRIP\,PATTERN\,Crinkled\,grip\,pattern}$ COLOUR Black SIZE RANGE 10 LENGTH RANGE 450 mm PAIRS PER PACKAGE/CARTON 6/60 AQL 0.65 DISPLAY Bag

FEATURES Protection against chemicals, withstands contact heat up to 500°C, extra long,

 ${\sf PROPERTIES} \ {\sf Very} \ {\sf durable}, good \ grip, warm$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, warm environments, moist $environments, dirty\ environments, harsh$ environments











EN 407



EN 511











TEGERA® 464

 $Heat\text{-resistant glove, nitrile, cotton, Cat. III, with stands contact heat up to 250 °C, extra long, for the standard contact heat up to 250 °C, extra long, for the 25$ heavy work

LINER MATERIAL Cotton MATERIAL Nitrile COLOUR Grey SIZE RANGE 9, 10, 11

LENGTH RANGE 350 mm PAIRS PER PACKAGE/CARTON 6/60 ${\tt PROPERTIES\, High\, level\, of\, protection}$











TEGERA®



HAND PROTECTION AGAINST HEAT AND WELDING RISKS

Welding gloves are longer than heat resistant gloves.



ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

HAND PROTECTION AGAINST HEAT AND WELDING RISKS / ALLROUND WORK

TEGERA® 134

Welding and heat-resistant glove, fully lined, 0,7-0,8 mm, full grain goatskin, full grain goatskin, cut resistance level 2, KEVLAR® fiber, Nomex®, Cat. III, extra long, reinforced seams, water and oil repellent, for allround work

PALM MATERIAL Full grain goatskin
BACK MATERIAL Full grain goatskin
LINING Fully lined
LINING MATERIAL KEVLAR® fiber, Nomex®
FASTENING Elasticated 180°
COLOUR Brown, black
SIZE RANGE 7, 8, 9, 10, 11
LENGTH RANGE 395 mm
PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread
FEATURES Withstands contact heat up to 100°C, extra long, reinforced index finger, reinforced seams, water and oil repellent, withstands welding sparks and grinding splash PROPERTIES High level of protection, good fingertip sensitivity, durable, good fit PRIMARY ENVIRONMENTS OF USE Cut risk environments, warm environments, moist environments, oil and greasy environments, harsh environments





Cat. III





EN 12477 + A1 Type A EN 1149-2









Protect yourself against hazardous chemicals

If you handle oils and chemical without protecting your hands, you're exposing yourself not only to skin damage but also to damage to your nervous system and vital organs. You also risk developing skin irritants, oversensitivity and corrosion damage because of the chemicals.

ASK US

Always use our chemical protection guide or consult with our sellers when choosing gloves. Chemical protection gloves are intended for single-day use, and sometimes for even shorter periods.

THINGS TO CONSIDER WHEN CHOOSING CHEMICAL PROTECTION GLOVES:

- A glove that gives good protection against a certain individual chemical may give very poor protection against a mixture of chemicals.
- As a rule, chemical protection gloves are intended for single-day use.
 They must not be reused.
- A used glove is chemically contaminated and there is a risk that the skin will be exposed to harmful substances when it is handled.
- Higher temperatures shorten the time it takes for the chemical to break through.
- Thicker materials generally mean longer breakthrough times.
- Once a chemical has been absorbed, it continues to break through (permeate) the protective glove.
- Permeation through a protective glove takes place at the molecular level and is therefore not visible to the naked eye.
- Even the best gloves lose their protective properties if they are mechanically damaged or if the chemical has broken through the material.
- Strongly corrosive chemicals can destroy the glove material by breaking it down before the specified breakthrough time.

PERMEATION is a process whereby the chemical is absorbed into and passes through the glove material at a molecular level.

PENETRATION involves the chemical moving through pinholes and other imperfections in the glove material.

DEGRADATION is when the glove material's physical resistance deteriorates under the influence of a chemical.

MIXING CHEMICALS CAN HAVE UNEXPECTED RESULTS

Two chemicals with known characteristics can produce unexpected effects when mixed. Since the number of chemicals marketed is huge, it is virtually impossible to test all conceivable combinations of them. Models do exist for estimating combined effects on the basis of what is known about the component chemicals. However, they presuppose that data is available and that the various chemicals involved have the same mechanisms of action. This means that the models can only be used for groups of chemicals that act in a similar way – not for the complex mix of chemicals that we are exposed to in reality.

Contact one of our sellers and get help in finding a suitable glove for protection against the relevant chemical mix.



Chemical protection guide

Light green fields represent more than 4 hours protection against breakthrough, and dark green fields represent more than 8 hours protection against breakthrough. Light green fields indicate even if testing on permeation is interrupted after 4 hours. Note: The recommendations are based on reports from permeation tests that were conducted at room temperature during continual contact. At higher temperatures the breakthrough time can be shortened.

T+ = Very toxic
T = Toxic
K = Can lead to cancer
M = Can lead to genetic
damage
S = Can lead to allergies
R = Can lead to reduced
ability to reproduce

Xn = Harmful
Xi = Irritant
Cx = Very corrosive
C = Corrosive
F+ = Extremely combustible
F = Very combustible,
3 after K or M = 'suspected
of leading to cancer'

Chemical name (Synonym)	Butyl rubber	Natural rubber	Neoprene rubber	Nitrile rubber	Polyetene, PE	Polyvinyl alcohol PVA	Polyvinyl chloride PVC	Viton®	Danger
Acetaldehyde									Xn, K3, F+
Acetone									F
Acetonitrile									T, F
Acrylamide, 30-70%									T, K2, M, R, S
Acrylnitrile									T, K2, F
Acryl acid									С
Allyl alcohol									T
Allylamine									T
Allylchloride (3-Chloropropene)									T+,F
Ammonium flouride, 30-70%									T+,F
Ammonia solution, 30%									С
Aniline									T, C3
Battery acid									С
Benzene									T, K1
Petrol, unleaded									T, K2
Benzoyl chloride									T, K2
Benzaldehyde									Xn, K3, F+
3-Bromopropionic acid									С
Hydrobromic acid, 30-70%									Cx
n-Butyl acetate									
n-Butanol (Butyl alcohol)									Xi
Butyl acrylate									Xi, S
n-Butylamine									X, C, F
Butyl glycol (2-Butoxy ethanol)									Xi
Butyl glycol acetate (2-Butoxyethyl acetate)									X, C, F
gamma-Butyrolactone									Х
Cyclohexane									Xi
Cyclohexanole									Xi
Cyclohexanone									Х
Diesel									X, K3, F
Diethanolamine									Xi
Diethylamine									C, X, F
Diethyldichlorosilane									C, F
Dietylenglycol									Xn
Diethylentriamine									C, X, S

Chemical name (Synonym)	Butyl rubber	Natural rubber	Neoprene rubber	Nitrile rubber	Polyetene, PE	Polyvinyl alcohol PVA	Polyvinyl chloride PVC	Viton®	Danger
Diglycidyl ether of bisphenol A									Xi, S
Diisobutyl ketone									Xi
Diisopropylamine									C, Xi, F
2-(Dietylamino)ethanol									C, Xn
1,2-Dichlorobenzene (o-Dichlorobenzene)									Xi
1,2-Dichloroethylene									Xn, F
N,N-Dimethylacetamide									T, R
N,N-Dimethylaniline (DMA)									T, K3
Dimethylformamide (DMF)									Т
Dimetyl sulphate									T+, K2, M, S, C
Dimethylsulphoxide									Xi
Di-n-butyl phthalate (DBP)									T, R
Dioctyl phthalate (DOP)									T, R
1,4-Dioxane									Xn, K3, F
Dynamite									T+
Epichlorohydrin									T, K2, S, C
Epoxy, base/accelerator									Xn, S
Ethanol (Ethyl alcohol)									F
Ethanolamine									Xi
Etyl acetate									Xi, F
Ethyl acrylate									Xi, S, F
Ethylamine (Monoethylamine)									Xi,F+
Ethylbenzene									Xn, F
Ethylendiamin (1,2-Diaminoethane)									Xn, C, S
Ethylene dichloride (1,2-Dichloroethane)									T, K2
Ethylenglycol									Xn
Ethylene oxide gas									T, K2, M, F+
Ethyl ether (Diethyl ether)									Xn, F+
Ethyl glycol (2-Ethoxyethanol)									T, R
Ethyl glycol acetate (2-Ethoxyethyl acetate)									T, R
Ethyl methacrylate									Xi, S, F
Phenol, > 70%									T, C
Fluorhydric acid, 30-70%									T+, Cx
Formaldehyde, 30-70%									T, C, S
Phosphoric acid, >70%									С




Caution 1 - 4 hours.

> 4 hours is recommended.

Not tested.

	_				1		1		
Chemical name (Synonym)	Butyl rubber	Natural rubber	Neoprene rubber	Nitrile rubber	Polyetene, PE	Polyvinyl alcohol PVA	Polyvinyl chloride PVC	Viton®	Danger
Photogen									Xn
Freon 113/TF									
Furfural (2-Furaldehyde)									T, K3
Furfuryl alcohol									Xn
Tannin									T, C
Glutaraldehyde, 30-70%									T, S
Hepthane									
Hexamethylene-1,6-diisocyanate									T, S
Hexamethyldisilasan									Xn, C, F
n-Hexane									Xn
Hydraulic oil									Xn
Hydrazine									T, C, K2
Hydrochinon									X, S, K3, M3
2-Hydroxyethyl acrylate									T, S
2-Hydroxyethyl methacrylate (HEMA)									Xi, S
Isophorone diisocyanate (IDI)									T, S
Isobutanol (Isobutyl alcohol)									Xi
Isopropanol (Isopropyl alcohol)									Xi
Potassium hydroxide, 30-70%									Cx
Capryl acid (Octane acid)									С
Chlorobenzene									Xn
2-Chloroethanol									T+
Chlorine gas									T
1-Chloronaphthalene									Xn
Chloroform (Trichloromethane)									Xn, K3
Chloroprene (2-Chloro-1,3-butadiene)									Xn, F
o-Chlorotoluene (2-Chlorotoluene)									Xn
Chloroacetic acid (Monochloroacetic acid)									T, C
Carbon disulphide									T, R
Carbon tetrachloride									T, K3
Cresol									T, C
Chromic acid, 30-70%									T, Cx, K, S
Cumen (Isopropylbenzene)									Xn
Aqua regia									Сх
Paint naphta (Low aroma naphta)									Xn
Laurin acid, 30-70%									
Limonene									Xi, S
Malein acid									Xi
Mercaptoacetic acid (Thioglycol acid)									T, C
Methacryl acid									Cx, Xn
Methanol (Methyl alcohol)									T V: F
Methyl acetate									Xi, F
Methylamine, 30-70%					_				Xi, F+
Methylenbisphenyl-44'-diisocyanate					_				Xn, S
Methylenbromide (Dibromomethane)									Xn
4,4-Methylenedianiline (MDA)									T, K, S
Methylenchloride (Dichloromethane) Methylethylketon (MEK)									Xn, K3 Xi, F
Methyl glycol (2-Methoxyethanol)									T, R
Methyl glycol acetate									1,13
(2-Methoxyethyl acetate)									T, R
Methylisobutylketone (MIBK)									Xn, F
Methyl iodide (Iodine methane)									T, K

Chemical name (Synonym)	Butyl rubber	Natural rubber	Neoprene rubber	Nitrile rubber	Polyetene, PE	Polyvinyl alcohol PVA	Polyvinyl chloride PVC	Viton®	Danger
Methyl methacrylate									Xi, S
Methyl tert-butyl ether (MTBE)									Xi, F
Morpholine									С
Formic acid, >70%									Cx
Sodium hydroxide, 30-70%									Сх
Sodium hypochlorite, 30-70%									С
Nicotine									T+
Nitrobenzene									T, K3
Nitroglycerol (Nitroglycerin)									T+
Nitroglycol									T+
Nitromethane									Xn
2-Nitropropane									T, K
2-Nitrotoluene									T
Olein acid (Oil acid)									Xi
Oxalic acid									Xn
Palmitin acid									Xi
Pentachlorophenol									T+, K3
n-Pentane									Xn, F+
Perchloroethylene (Tetrachloroethylene)									Xn, K3
Perchloric acid, 30-70%									Сх
Picrine acid									T
Piperazine									C, S
Polychlorinated biphenyls (PCB)									Xn
n-Propanol (Propyl alcohol)									Xi, F
1,2-Propylenoxide									T, K, M, F+
Pyridine									Xn, F
Round Up® (Glyphosate)									Xi
Potassium nitrate acid, 30-70%									Cx
Muriatic acid 37%									T, Cx
Lubricating oil									Xn
Butter acid									С
Styrene (Vinylbenzene)									Xn
Sulphuric acid, > 70%									Сх
Terpentine									Xn, S
Tetrahydrofuran									Xi, F
Toluene									Xn, F
Toluene-2,4-diisocyanate (TDI)									T+, S, K3
o-Toluidine									T, K
111-Trichloroethane (Methyl chloroform)									Xn
Tricresylphosfat									T
Triethanolamine, >70% (TEA)									Xi
Triethylamine									C, Xn. F
Triethylenetetraamine (TETA)									Xn, S
Trichloroethylene (TRI)									T, K, M
Trichloroacetic acid									Сх
Vinylidene chloride (1,1-Dichloroethylene)									Xn, F+
Vinyl chloride gas (Chloroethane)									T, K, F+
Hydroperoxide, 30-70% (Hydrosuperoxide)									С
Xylene									Xi
Acetic acid (glacial acetic acid)									Сх
Acetic acid anhydride									С



HAND PROTECTION AGAINST CHEMICAL AND MICROORGANISM RISKS

Our chemical protection gloves are available in most protective materials found on the market. Always use our chemical protection guide or consult with our sellers when choosing gloves. Chemical protection gloves are intended for single-day use, and sometimes for even shorter periods.



PRECISION WORK

For precision and assembly work, your fingers need freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 84301

Disposable glove, 0,06 mm, nitrile, extra fingertip grip, Cat. III, approved for handling foodstuffs, latex-free

MATERIAL Nitrile THICKNESS 0,06 mm

 ${\sf GRIP\,PATTERN\,Extra\,fingertip\,grip}$

COLOUR Blue

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240 mm

BOXES PER CARTON 10

PIECES PER BOX 200

AQL 1.5

DISPLAY Box

 ${\sf FEATURES}\, {\sf Splash}\, {\sf protection}\, {\sf against}\, {\sf chemicals},$ approved for handling foodstuffs

 ${\tt PROPERTIES} \ {\tt Extremely} \ {\tt good} \ {\tt fingertip}$

sensitivity, extra flexible

PRIMARY ENVIRONMENTS OF USE Disposable

use, dirty environments















TEGERA® 84501

Disposable glove, 0,10 mm, nitrile, extra fingertip grip, Cat. III, approved for handling foodstuffs, latex-free, for precision work

MATERIAL Nitrile

THICKNESS 0,10 mm

GRIP PATTERN Extra fingertip grip

SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240 mm

BOXES PER CARTON 10 PIECES PER BOX 100

AQL 1.5

DISPLAY Box

 ${\sf FEATURES}\, {\sf Splash}\, {\sf protection}\, {\sf against}\, {\sf chemicals},$ approved for handling foodstuffs, latex-free PROPERTIES Extremely good fingertip sensitivity, extra flexible, durable, good fit

PRIMARY ENVIRONMENTS OF USE Disposable use, wet environments, dirty environments

















Disposable glove, 0,19 mm, nitrile, non powder, Cat. III, approved for handling foodstuffs, extra long, latex-free, for precision work

MATERIAL Nitrile THICKNESS 0,19 mm INSIDE Non powder COLOUR Blue SIZE RANGE 6, 7, 8, 9, 10, 11, 12 LENGTH RANGE 290 mm PIECES PER BAG 50

BAGS PER CARTON 10

AQL 1.5 DISPLAY Bag FEATURES Splash protection against chemicals, approved for handling foodstuffs PROPERTIES Extra flexible, durable, good fit PRIMARY ENVIRONMENTS OF USE Microbiological risk environments, wet environments, moist environments, oil and

greasy environments, dirty environments



















TEGERA® 843

Disposable glove, 0,06 mm, nitrile, non powder, Cat. III, approved for handling foodstuffs, latexfree, for precision work

MATERIAL Nitrile THICKNESS 0,06 mm INSIDE Non powder COLOUR Purple SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 240 mm BOXES PER CARTON 10 PIECES PER BOX 100 **AOL 1.5**

DISPLAY Box

FEATURES Splash protection against chemicals, approved for handling foodstuffs, latex-free PROPERTIES Extremely good fingertip sensitivity, extra flexible, excellent fit PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, wet environments, moist environments, dirty environments















TEGERA® 848

 $Disposable\ glove,\ 0,12\ mm,\ nitrile,\ accelerator-free,\ non\ powder,\ Cat.\ III,\ extra\ long,\ latex-free,$ for precision work

MATERIAL Nitrile, accelerator-free

THICKNESS 0,12 mm ${\sf INSIDE}\, Non\, powder$ COLOUR Purple SIZE RANGE 6, 7, 8, 9, 10, 11 LENGTH RANGE 290 mm

BOXES PER CARTON 10

PIECES PER BOX 100 AQL 1.5

DISPLAY Box

FEATURES Splash protection against chemicals, approved for handling foodstuffs, extra long, latex-free

 ${\tt PROPERTIES}\, Good\, fingertip\, {\tt sensitivity}, flexible,$

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, disposable use, wet

environments, moist environments, dirty environments















$Disposable\ glove,\ 0,19\ mm,\ nitrile,\ non\ powder,\ Cat.\ III,\ extra\ long,\ latex-free,\ for\ precision\ work$

MATERIAL Nitrile THICKNESS 0,19 mm INSIDE Non powder COLOUR Black

SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 290 mm BOXES PER CARTON 10 PIECES PER BOX 50

AOL 1.5 DISPLAY Box

FEATURES Splash protection against chemicals,

high puncture resistance compared to similar gloves, approved for handling foodstuffs, extra long, latex-free

 ${\sf PROPERTIES}\, \textbf{High level of protection, good}$ fingertip sensitivity, flexible, very durable, good grip, good fit

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, disposable use, wet environments, moist environments, oil and greasy environments, dirty environments, harsh environments



















TEGERA® 184

$Chemical\ protection\ glove,\ 0,20\ mm,\ nitrile,\ unflocked,\ Cat.\ III,\ latex-free,\ for\ all round\ work$

MATERIAL Nitrile THICKNESS 0,20 mm INSIDE Unflocked COLOUR Blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 330 mm PAIRS PER PACKAGE/CARTON 10/100 AQL 0.65

 ${\sf DISPLAY}\, \textbf{Bag}\, \textbf{with euro slot}$

 ${\sf FEATURES}\, {\sf Splash}\, protection\, against\, chemicals,$ approved for handling foodstuffs, latex-free, oil and grease resistant

 ${\it PROPERTIES} \ Good \ finger tip \ sensitivity, \ extra$ $flexible, good\,grip, good\,fit$

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments














TEGERA® 833

Disposable glove, 0,10 mm, latex, non powder, Cat. III, waterproof, for precision work

MATERIAL Latex THICKNESS 0,10 mm ${\sf INSIDE}\, Non\, powder$ COLOUR White SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 240 mm BOXES PER CARTON 10 PIECES PER BOX 100

AQL 1.5 DISPLAY Box FEATURES Splash protection against chemicals, approved for handling foodstuffs $\,$ PROPERTIES Extra flexible, good fit PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments

















ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

TEGERA® 18601

Chemical protection glove, 0,38 mm, nitrile, diamond grip pattern, flock-lined, Cat. III, latex-free, oil and grease resistant, for allround work

MATERIAL Nitrile THICKNESS 0,38 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Green SIZE RANGE 7 8 9 10 LENGTH RANGE 330 mm PAIRS PER PACKAGE/CARTON 12/144 AOL 0.65

FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free, pre-curved fingers ${\sf PROPERTIES} \ {\sf Flexible}, \ {\sf durable}, \ {\sf good} \ {\sf grip}, \ {\sf good}$ fit, comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and

greasy environments, dirty environments

















TEGERA® 186

Chemical protection glove, 0,38 mm, nitrile, diamond grip pattern, flock-lined, Cat. III, latex-free, for allround work

MATERIAL Nitrile THICKNESS 0.38 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Green SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 10/100 AOL 0.65 DISPLAY Bag with euro slot

FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free, oil and grease resistant

 ${\tt PROPERTIES\, High\, level\, of\, protection,\, flexible,}$ comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, oil and greasy environments, dirty environments, harsh environments















Chemical protection glove, 0,38 mm, nitrile, diamond grip pattern, unflocked, Cat. III, latex-free, for allround work

MATERIAL Nitrile THICKNESS 0,38 mm INSIDE Unflocked ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Green SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 10/100 **AQL 0.65** DISPLAY Bag with euro slot FEATURES Protection against chemicals ${\sf PROPERTIES}\, {\sf Flexible}, {\sf good}\, {\sf grip}, {\sf good}\, {\sf fit}$ PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, wet environments, dirty environments









EN 374-2







TEGERA® 47

Chemical protection glove, 0,45 mm, nitrile, diamond grip pattern, flock-lined, Cat. III, latex-free, for allround work

MATERIAL Nitrile THICKNESS 0,45 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Green SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 330 mm PAIRS PER PACKAGE/CARTON 10/100 **AOL 0.65**

 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$ FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free ${\sf PROPERTIES}\, \textbf{Highest level of protection, very}$ $durable, good \, gr\bar{i}p, good \, fit, comfortable$ PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, dirty environments, harsh environments

















TEGERA® 48

Chemical protection glove, 0,60 mm, nitrile, diamond grip pattern, unflocked, Cat. III, extra long, latex-free, for allround work

MATERIAL Nitrile THICKNESS 0,60 mm INSIDE Unflocked $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Diamond}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR Green SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 450 mm PAIRS PER PACKAGE/CARTON 6/36 AQL 0.65 DISPLAY Bag

FEATURES Protection against chemicals, approved for handling foodstuffs, extra long,

PROPERTIES Highest level of protection, very $durable, good \, grip, good \, fit, comfortable$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments, harsh environments













Chemical protection glove, 0,38 mm, nitrile, diamond grip pattern, flock-lined, Cat. III, for

MATERIAL Nitrile THICKNESS 0,38 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 10/100 AQL 0.65

 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$ FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free ${\sf PROPERTIES}\, {\sf Flexible}, {\sf durable}, {\sf good}\, {\sf fit},$ comfortable

PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, harsh environments











EN 374-2







TEGERA® 7351

Chemical protection glove, nitrile, fully dipped, interlock, sandy finish, Cat. III, latex-free, for allround work

LINER MATERIAL Interlock DIPPING Fully dipped DIPPING MATERIAL Nitrile GRIP PATTERN Sandy finish COLOUR Blue SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 300 mm PAIRS PER PACKAGE/CARTON 10/120 AQL 1.5

DISPLAY Bag with euro slot

FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free, oil and grease resistant, water and oil repellent ${\sf PROPERTIES}\ {\sf Durable}, {\sf good}\ {\sf grip}, {\sf good}\ {\sf fit},$ comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments, harsh environments

















TEGERA® 7350

Chemical protection glove, winter-lined, nitrile, sandy finish, fleece, Cat. III, oil and grease resistant, winter-lined, for allround work

DIPPING MATERIAL Nitrile LINING Winter-lined LINING MATERIAL Fleece GRIP PATTERN Sandy finish COLOUR Blue SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 300 mm PAIRS PER PACKAGE/CARTON 5/60 **AOL 1.5**

FEATURES Protection against chemicals, approved for handling foodstuffs, latex-free, oil and grease resistant

PROPERTIES High level of protection, durable, good grip, good fit, warm

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, wet environments, moist environments, oil and greasy environments, dirty environments







DISPLAY Bag with euro slot













Chemical protection glove, 0,40 mm, latex, diamond grip pattern, flock-lined, Cat. III, approved for handling foodstuffs, waterproof

MATERIAL Latex THICKNESS 0,40 mm INSIDE Flock-lined

 ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$

COLOUR Yellow SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 300 mm

PAIRS PER PACKAGE/CARTON 10/100

AQL 0.65

DISPLAY Bag with euro slot

FEATURES Splash protection against chemicals, approved for handling foodstuffs

 ${\sf PROPERTIES}\, {\sf Flexible}, {\sf good}\, {\sf grip}, {\sf good}\, {\sf fit},$

PRIMARY ENVIRONMENTS OF USE Wet

environments, moist environments, dirty

environments



















TEGERA® 8140

Chemical protection glove, 0,38 mm, latex, diamond grip pattern, flock-lined, Cat. III, for allround

MATERIAL Latex THICKNESS 0,38 mm INSIDE Flock-lined

 ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$

COLOUR Blue

SIZE RANGE 6, 7, 8, 9, 10 LENGTH RANGE 300 mm

PAIRS PER PACKAGE/CARTON 12/144

AQL 1.5

DISPLAY Bag with euro slot

 ${\sf FEATURES}\, {\sf Splash}\, protection\, against\, chemicals$ PROPERTIES Extra flexible, good fit,

PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments





















TEGERA® 231

Chemical protection glove, 0,67 mm, latex, neoprene, diamond grip pattern, flock-lined, Cat. III, for allround work

MATERIAL Latex, neoprene THICKNESS 0,67 mm INSIDE Flock-lined $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Diamond}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR Orange SIZE RANGE 7, 8, 9, 10, 11, 12 LENGTH RANGE 320 mm PAIRS PER PACKAGE/CARTON 12/144 AQL 0.65

FEATURES Protection against chemicals, approved for handling foodstuffs ${\sf PROPERTIES\, High\, level\, of\, protection,\, flexible,}$ $very\ durable, good\ grip, good\ fit$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, dirty environments, harsh environments





















Chemical protection glove, 0,67 mm, latex, neoprene, diamond grip pattern, flock-lined, Cat. III,

MATERIAL Latex, neoprene THICKNESS 0,67 mm INSIDE Flock-lined $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Diamond}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR Blue, yellow SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 320 mm PAIRS PER PACKAGE/CARTON 12/144 **AQL 0.65** FEATURES Protection against chemicals, approved for handling foodstuffs ${\sf PROPERTIES}\, \textbf{Flexible, durable, good}\, \textbf{fit}$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, dirty environments, harsh environments



















TEGERA® 241

Chemical protection glove, 0,68 mm, latex, neoprene, diamond grip pattern, flock-lined, Cat. III, extra long, for allround work

MATERIAL Latex, neoprene THICKNESS 0,68 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Black SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 410 mm PAIRS PER PACKAGE/CARTON 6/60 **AOL 0.65**

DISPLAY Bag FEATURES Protection against chemicals, approved for handling foodstuffs, extra long ${\sf PROPERTIES} \ {\sf Very} \ {\sf durable}, good \ grip, good \ fit$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, moist environments, dirty environments, harsh environments





















TEGERA® 8190

 $Chemical\ protection\ glove,\ 0,28\ mm,\ PVC,\ phthalate-free,\ diamond\ grip\ pattern,\ unflocked,\ Cat.$ III, phthalate-free, for allround work

MATERIAL PVC, phthalate-free THICKNESS 0,28 mm INSIDE Unflocked $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Diamond}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR White SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 310 mm

PAIRS PER PACKAGE/CARTON 10/100 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$ FEATURES Phthalate-free PROPERTIES Flexible, good fit, comfortable PRIMARY ENVIRONMENTS OF USE Wet environments, moist environments, dirty environments

















Chemical protection glove, 0,45 mm, PVC, phthalate-free, diamond grip pattern, flock-lined, Cat. III, phthalate-free, for allround work

MATERIAL PVC, phthalate-free THICKNESS 0,45 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ SIZE RANGE 7, 8, 9, 10 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 10/100 **AOL 1.5**

 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$ ${\sf FEATURES}\, {\sf Splash}\, {\sf protection}\, {\sf against}\, {\sf chemicals},$ ${\sf PROPERTIES}\, {\sf Extra}\, {\sf flexible, durable, good}\, {\sf fit,}$ extra comfortable PRIMARY ENVIRONMENTS OF USE Microbiological risk environments, wet environments, moist environments, dirty environments









EN 374-2







TEGERA® 8170

Chemical protection glove, 0,55 mm, PVC, phthalate-free, diamond grip pattern, flock-lined, Cat. III, phthalate-free, for allround work

MATERIAL PVC, phthalate-free THICKNESS 0,55 mm INSIDE Flock-lined ${\sf GRIP\,PATTERN\,Diamond\,grip\,pattern}$ COLOUR Red SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 25/100 AQL 1.5

DISPLAY Bag with euro slot FEATURES Splash protection against chemicals, phthalate-free

PROPERTIES Flexible, durable, good grip, extra comfortable

PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, wet environments, moist environments, dirty environments















TEGERA® 8195

Chemical protection glove, 0,65 mm, PVC, phthalate-free, diamond grip pattern, flock-lined, Cat. III, phthalate-free, for allround work

MATERIAL PVC, phthalate-free THICKNESS 0,65 mm INSIDE Flock-lined $\mathsf{GRIP}\,\mathsf{PATTERN}\,\mathsf{Diamond}\,\mathsf{grip}\,\mathsf{pattern}$ COLOUR Black SIZE RANGE 8, 9, 10 LENGTH RANGE 310 mm PAIRS PER PACKAGE/CARTON 25/100 AQL 1.5

 ${\sf DISPLAY}\, {\sf Bag}\, {\sf with}\, {\sf euro}\, {\sf slot}$ FEATURES Splash protection against chemicals, phthalate-free

 ${\tt PROPERTIES} \ {\tt Flexible}, \ {\tt durable}, \ {\tt good} \ {\tt grip}, \ {\tt extra}$ comfortable

PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, wet environments, moist environments, harsh environments

















Chemical protection glove, 0,55 mm, PVC, phthalate-free, diamond grip pattern, flock-lined, Cat. III, phthalate-free

MATERIAL PVC, phthalate-free THICKNESS 0,55 mm ${\sf INSIDE}\, {\sf Flock\text{-}lined}$ GRIP PATTERN Diamond grip pattern $\mathsf{COLOUR}\,\mathsf{Red}$ SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 700 mm PAIRS PER PACKAGE/CARTON 25/100 **AQL 1.5**

 ${\sf DISPLAY}\,{\sf Bag}\,{\sf with}\,{\sf euro}\,{\sf slot}$ FEATURES Splash protection against chemicals, extra long, phthalate-free, sleeve protection PROPERTIES High level of protection, flexible, $durable, good \, grip, good \, fit, \, comfortable$ PRIMARY ENVIRONMENTS OF USE Chemical $risk\ environments, microbiological\ risk$ environments, environments hazardous to health, corrosive environments, wet environments, moist environments, dirty environments









EN 374-2









HEAVY WORK

You work with rough materials so you need gloves made from strong, hardwearing materials.

TEGERA® 13000

Chemical protection glove, PVC, vinyl, seamless, sandy finish, Cat. III, oil and grease resistant, for heavy work

LINER MATERIAL Seamless DIPPING MATERIAL PVC, vinyl ${\sf GRIP\,PATTERN\,Sandy\,finish}$ COLOUR Black SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 300 mm PAIRS PER PACKAGE/CARTON 10/120 AQL 0.65

FEATURES Protection against chemicals, precurved fingers

PROPERTIES Very durable, good grip, good fit, comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments













TEGERA®

TEGERA® 10PG

Chemical protection glove, PVC, vinyl, interlock, smooth finish, Cat. III, oil and grease resistant, for heavy work

LINER MATERIAL Interlock DIPPING MATERIAL PVC, vinyl GRIP PATTERN Smooth finish COLOUR Red SIZE RANGE 10 LENGTH RANGE 350 mm PAIRS PER PACKAGE/CARTON 12/60 AQL 0.65

 ${\sf FEATURES} \ {\sf Protection} \ {\sf against} \ {\sf chemicals}$ PROPERTIES Very durable PRIMARY ENVIRONMENTS OF USE Chemical

risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, harsh environments

















Chemical protection glove, PVC, seamless, granulated, Cat. III, oil and grease resistant, for heavy

LINER MATERIAL Seamless DIPPING MATERIAL PVC GRIP PATTERN Granulated COLOUR Blue, black SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 300 mm PAIRS PER PACKAGE/CARTON 12/72 AQL 0.65

FEATURES Protection against chemicals, precurved fingers

PROPERTIES Highest level of protection, very durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments

















TEGERA® 12935

Chemical protection glove, PVC, vinyl, seamless, granulated, Cat. III, for heavy work

LINER MATERIAL Seamless DIPPING MATERIAL PVC, vinyl GRIP PATTERN Granulated COLOUR Blue, black SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 350 mm PAIRS PER PACKAGE/CARTON 12/72 AQL 0.65 ${\sf FEATURES}\ {\sf Protection}\ {\sf against}\ {\sf chemicals}, {\sf pre-}$ curved fingers

PROPERTIES Highest level of protection, flexible, very durable, excellent grip, excellent fit, extra comfortable

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments, harsh

















TEGERA® 12945

 $Chemical\ protection\ glove, PVC, vinyl, seamless, granulated, Cat.\ III, extra long, for heavy\ work$

LINER MATERIAL Seamless DIPPING MATERIAL PVC, vinyl GRIP PATTERN Granulated COLOUR Blue, black SIZE RANGE 8, 9, 10, 11 LENGTH RANGE 450 mm PAIRS PER PACKAGE/CARTON 12/72 AQL 0.65

 ${\sf FEATURES}\ {\sf Protection}\ {\sf against}\ {\sf chemicals}, {\sf extra}$ long, pre-curved fingers ${\sf PROPERTIES}\, \textbf{Highest level of protection, very}$

durable, excellent fit, extra comfortable PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments

















Chemical protection glove, PVC, vinyl, seamless, sandy finish, Cat. III, extra long, for heavy work

LINER MATERIAL Seamless MATERIAL PVC, vinyl GRIP PATTERN Sandy finish COLOUR Blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 700 mm PAIRS PER PACKAGE/CARTON 6/60 AQL 0.65

 ${\sf FEATURES}\ {\sf Protection}\ {\sf against}\ {\sf chemicals}, {\sf extra}$ long

PROPERTIES Highest level of protection, very durable, good fit

PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oil and greasy environments, dirty environments











EN 374-2







TEGERA® 7390

Chemical protection glove, winter-lined, PVC, fully dipped, acrylic, sandy finish, fleece, Cat. III, winter-lined, for heavy work

LINER MATERIAL Acrylic DIPPING Fully dipped DIPPING MATERIAL PVC LINING Winter-lined LINING MATERIAL Fleece GRIP PATTERN Sandy finish COLOUR Blue SIZE RANGE 8, 9, 10

LENGTH RANGE 300 mm

PAIRS PER PACKAGE/CARTON 6/36 AQL 0.65 DISPLAY Bag ${\sf PROPERTIES} \ {\sf Flexible}, very \ {\sf durable}, good \ {\sf grip},$ good fit, comfortable, warm PRIMARY ENVIRONMENTS OF USE Chemical

risk environments, environments hazardous to health, corrosive environments, outdoors, moist environments, oil and greasy environments, dirty environments, harsh environments













TEGERA® 494

Chemical protection glove, winter-lined, neopren, crinkled grip pattern, Cat. III, withstands contact heat up to 500° C, extra long, latex-free, winter-lined, for heavy work

DIPPING MATERIAL Neopren LINING Winter-lined ${\sf GRIP\,PATTERN\,Crinkled\,grip\,pattern}$ COLOUR Black SIZE RANGE 10 LENGTH RANGE 450 mm PAIRS PER PACKAGE/CARTON 6/60 AQL 0.65

FEATURES Protection against chemicals, withstands contact heat up to 500°C, extra long,

 ${\sf PROPERTIES} \ {\sf Very} \ {\sf durable}, good \ grip, warm$ PRIMARY ENVIRONMENTS OF USE Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, cold environments, warm environments, moist environments, dirty environments, harsh environments





DISPLAY Bag



















HAND PROTECTION AGAINST MICROORGANISM RISKS AND WETNESS, NOT CHEMICALS

Viruses, fungi, bacteria and parasites can cause infections and poisoning, especially in connection with healthcare work. If the material is to provide the right protection against injury, both design and material must be adapted to the user's need of comfort and usability in different work situations. Here, you can find gloves for wet environments such as catering centres, home help locations, the food industry and the cleaning sector.



PRECISION WORK

For precision and assembly work, your fingers need total freedom of movement. The gloves must be very supple, flexible and ergonomically sound.

TEGERA® 819

Disposable glove, 0,08 mm, PVC, vinyl, Cat. II, latex-free, waterproof, for precision work

MATERIAL PVC, vinyl THICKNESS 0,08 mm COLOUR Transparent SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240 mm BOXES PER CARTON 10 PIECES PER BOX 100

AQL 1.5 DISPLAY Box ${\sf PROPERTIES}\, {\sf Flexible}, {\sf good}\, {\sf fit}$ PRIMARY ENVIRONMENTS OF USE Microbiological risk environments, disposable use, wet environments, moist environments, dirty environments















TEGERA® 825

Disposable glove, 0,10 mm, PVC, vinyl, non powder, Cat. II, waterproof, for precision work

MATERIAL PVC, vinyl THICKNESS 0,10 mm INSIDE Non powder COLOUR Transparent SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240 mm BOXES PER CARTON 10

PIECES PER BOX 100 AQL 1.5 DISPLAY Box PROPERTIES Flexible

PRIMARY ENVIRONMENTS OF USE Microbiological risk environments, wet

environments, moist environments, dirty environments













Disposable glove, 0,08 mm, PVC, phthalate-free, vinyl, non powder, Cat. II, phthalate-free, latexfree, for precision work

MATERIAL PVC, phthalate-free, vinyl

THICKNESS 0,08 mm

INSIDE Non powder

COLOUR Transparent

SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240 mm BOXES PER CARTON 10

PIECES PER BOX 100

AQL 1.5

DISPLAY Box

 ${\sf FEATURES}\ \textbf{Approved}\ \text{for handling foodstuffs,}$

phthalate-free

PROPERTIES Flexible

PRIMARY ENVIRONMENTS OF USE

Microbiological risk environments, disposable use, wet environments, moist environments,

dirty environments















TEGERA® 818

 $Disposable\ glove,\ 0,08,\ PVC,\ vinyl,\ powdered,\ Cat.\ II,\ latex-free,\ waterproof,\ for\ precision\ work$

MATERIAL PVC, vinyl

THICKNESS 0,08

INSIDE Powdered

COLOUR Transparent SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240

BOXES PER CARTON 10 PIECES PER BOX 100

AQL 1.5

DISPLAY Box

 ${\sf FEATURES}\ {\bf Approved}\ {\sf for\ handling\ foodstuffs,}$

waterproof, moisture resistant PROPERTIES Flexible, good fit

PRIMARY ENVIRONMENTS OF USE

 $Microbiological\ risk\ environments,\ disposable$ use, wet environments, moist environments,

dirty environments















TEGERA® 820

Disposable glove, 0,10 mm, PVC, vinyl, powdered, Cat. II, for precision work

MATERIAL PVC, vinyl

THICKNESS 0,10 mm

INSIDE Powdered

COLOUR Transparent SIZE RANGE 7, 8, 9, 10, 11

LENGTH RANGE 240 mm

BOXES PER CARTON 10 PIECES PER BOX 100

AQL 1.5

DISPLAY Box

 $\label{eq:FEATURES_Approved} \textit{FEATURES_Approved for handling foodstuffs,}$

waterproof

PROPERTIES Flexible, good fit

PRIMARY ENVIRONMENTS OF USE Disposable

use, wet environments, moist environments,

dirty environments













Disposable glove, 0,10 mm, PVC, vinyl, powdered, Cat. II, for precision work

MATERIAL PVC, vinyl THICKNESS 0,10 mm INSIDE Powdered COLOUR Blue SIZE RANGE 7, 8, 9, 10, 11 LENGTH RANGE 240 mm BOXES PER CARTON 10

PIECES PER BOX 100 AQL 1.5 DISPLAY Box FEATURES Waterproof PROPERTIES Flexible, good fit PRIMARY ENVIRONMENTS OF USE Disposable use, wet environments, moist environments, dirty environments















ALLROUND WORK

You need hardwearing gloves in a durable material. At the same time, they must be supple and comfortable to wear.

HAND PROTECTION AGAINST MICROORGANISM RISKS AND WETNESS, NOT CHEMICALS / ALLROUND WORK

TEGERA® 8160

Synthetic glove, 1,10 mm, latex, fully dipped, double-dipped, interlock, foam grip pattern, Cat. II, waterproof, for allround work

LINER MATERIAL Interlock
DIPPING Fully dipped, double-dipped
DIPPING MATERIAL Latex
THICKNESS 1,10 mm
GRIP PATTERN Foam grip pattern
COLOUR Blue
SIZE RANGE 6, 7, 8, 9, 10, 11
LENGTH RANGE 300 mm

PAIRS PER PACKAGE/CARTON 12/120
DISPLAY Bag with euro slot
PROPERTIES High level of protection, flexible, good grip, comfortable, warm
PRIMARY ENVIRONMENTS OF USE Cold environments, warm environments, wet environments, moist environments, dirty environments

















